

SALEK GROUP

**Work Hard
Think Smart**



WWW.SALEKGROUP.COM

WISEUP

Your Tools, Best Station

HAND TOOLS

COMBINATION PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010107	6"/ 150MM	48	12	0.024
010108	7"/ 175MM	48	16.5	0.025
010109	8"/ 200MM	48	19	0.032

DIAGOAL CUTTING PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010205	6"/ 150MM	48	12.5	0.025
010206	8"/ 200MM	48	13.5	0.031

LONG NOSE PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010305	6"/ 150MM	48	12.5	0.02
010306	8"/ 200MM	48	13.5	0.024

COMBINATION PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010101	6"/ 150MM	48	12	0.024
010102	7"/ 175MM	48	16.5	0.025
010103	8"/ 200MM	48	19	0.032

DIAGOAL CUTTING PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010201	6"/ 150MM	48	12.5	0.025
010202	8"/ 200MM	48	13.5	0.031

LONG NOSE PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010301	6"/ 150MM	48	12.5	0.02
010302	8"/ 200MM	48	13.5	0.024

COMBINATION PLIERS



It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010104	6"/ 150MM	17	0.0375	
010105	7"/ 175MM	20	0.0225	
010106	8"/ 200MM	18	0.026	

DIAGONAL CUTTING PLIERS



It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010203	6"/ 150MM	72	18	0.03
010204	8"/ 200MM	48	18	0.026

LONG NOSE PLIERS



It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010303	6"/ 150MM	72	15	0.023
010304	8"/ 200MM	48	12	0.02

COMBINATION PLIERS (Electrician)



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010601	6"/150MM	60	17.3	0.03
010602	7"/175MM	48	17.7	0.03
010603	8"/200MM	48	20.6	0.0335

DIAGONAL CUTTING PLIERS (Electrician)



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010604	6"/150MM	60	16.5	0.0335
010605	8"/200MM	48	17	0.0335

LONG NOSE PLIERS (Electrician)



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010606	6"/150MM	60	14.6	0.032
010607	8"/200MM	48	14.3	0.024

CIRCLIP PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010801	7"/ 175MM	96	19	0.03

CIRCLIP PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010802	7"/ 175MM	96	19	0.03

CIRCLIP PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010803	7"/175MM	69	19	0.03

CIRCLIP PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010804	7"/ 175MM	96	19	0.03

COMBINATION PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010701	4.5"/ 115MM	120	13.3	0.039

LONG NOSE PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010702	4.5"/ 115MM	120	14	0.039

DIAGONAL CUTTING PLIERS



It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010703	4.5"/ 115MM	120	14.3	0.039

END CUTTING PLIERS



It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010704	4.5"/ 115MM	120	14.3	0.039

3PCS PLIER SET



Sharp And Durable, the Tong Head Can Be Opened And Closed Freely, easy To Use

ITEM No	SIZE	QTY	G.W	CBM
012001	3PCS(6"/6"/8")	24	20.5	0.049

4PCS CIRCLIP PLIERS SET



It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
012003	7"/ 175MM	24	19	0.035

4PCS MINI PLIERS SET



It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
012005	4.5"/ 115MM	48	19.5	0.053

PUNCH PLIER



SIZE: 2MM/ 2.5MM/ 3MM/ 3.5MM/ 4MM/ 4.5MM

ITEM No	SIZE	QTY	G.W	CBM
011502	2.4"/ 5MM	24	11.3	0.028

PUNCH PLIER



SIZE: 2MM/ 2.5MM/ 3MM/ 3.5MM/ 4MM/ 4.5MM

ITEM No	SIZE	QTY	G.W	CBM
011501	9"/ 230MM	24	11.3	0.023

AUTOMATIC WIRE STRIPPER



ITEM No	SIZE	QTY	G.W	CBM
010504	7"/ 175MM	48	17	0.047

AUTOMATIC WIRE STRIPPER



ITEM No	SIZE	QTY	G.W	CBM
010503	7"/ 175MM	48	15	0.037

WATER PUMP PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
011004	10"/ 250MM	36	21	0.016

WATER PUMP PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
011006	10"/ 250MM	48	20	0.025
011007	12"/ 300MM	36	21.7	0.028

WATER PUMP PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
011001	7"/180MM	60	15.7	0.012
011002	10"/250MM	60	17.7	0.025
011003	12"/300MM	36	23.2	0.025

END CUTTING PLIERS



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
011401	6"/ 150MM	60	18	0.021
011402	7"/ 175MM	60	19	0.023
011403	8"/ 200MM	48	21	0.035

TOWER PINCER



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
011301	8"/ 200MM	60	21.5	0.031
011302	9"/ 225MM	60	23.5	0.033

SLIP JOINT PLIER



CR-V
Material

ITEM No	SIZE	QTY	G.W	CBM
011101	6"/ 150MM	60	13	0.03
011102	8"/ 200MM	60	20	0.039

SINGLE T HEX KEY



CR-V
Material

ITEM No	SIZE	QTY	G.W	CBM
032319	2.5MM	400	12	0.0552
032320	3MM	400	11.5	0.056
032321	4MM	240	13.7	0.056
032322	5MM	240	17	0.056
032323	6MM	240	20.5	0.056
032324	8MM	120	22	0.063
032325	10MM	120	31	0.063

7PCS T HEX KEY SET



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
032331	2.2.5/3/4/5/6/8MM	36	18.4	0.097

T SPANNER



CR-V
Material

High Quality Chrome Vanadium Steel Wrench Opening Thicker Design. high Thickness. Strong Torque. Durable. wrench Overall Chrome Plating, Anti-skid Durable Complete Specifications, easy To Use. suitable For A Variety Scenes To Use.

ITEM No	SIZE	QTY	G.W	CBM
032108	8MM	100	28.5	0.05
032110	10MM	100	29	0.05
032112	12MM	100	31.5	0.05
032114	14MM	100	32.5	0.05

Y SPANNER



It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
032212	8*10*12	80	24	0.06
032214	10*12*14	80	27.5	0.06

CROSS WRENCH



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
063001	14*/350MM	10	12.7	0.017

CROSS WRENCH



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
063008	18*/450MM	10	16.4	0.027

8PCS HEX KEY SET



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
032332	FLAT	60	13	0.042

8PCS HEX KEY SET



CR-V
Material

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
0322333	STAR	60	12.5	0.042

LOCKING PLIERS




CR-Mo

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010901	5"/125MM	72	12.8	0.017
010902	7"/175MM	48	18.4	0.02
010903	10"/250MM	36	20	0.024

C-TYPE LOCKING PLIERS



CR-Mo

It Is Made Of High-quality Chrome Vanadium Steel, The Whole Body Of The Tong Is Quenched, The Jaw Is Quenched Twice With High Frequency, With Good Toughness, Sharp And Durable, The Tong Head Can Be Opened And Closed Freely, easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
010904	11"/ 275MM	12	10.8	0.021
010905	14"/ 350MM	12	12.9	0.0265

WELDING LOCKING PLIER



CR-V

Material

ITEM No	SIZE	QTY	G.W	CBM
010911	10"/250MM	24	18	0.049

CHAIN TYPE LOCKING PLIER



CR-V

Material

ITEM No	SIZE	QTY	G.W	CBM
010912	10"/ 250MM	24	14	0.036

LONG NOSE LOCKING PLIER



CR-V

Material

ITEM No	SIZE	QTY	G.W	CBM
010907	9"/ 225MM	60	18	0.023

SHEET METAL LOCKING PLIER



CR-V

Material

ITEM No	SIZE	QTY	G.W	CBM
010908	8"/ 200MM	24	20	0.036

9PCS HEX KEY SET



Integral Cr-v Forging,high Torque Strong Grip, after Secondary Quenching, The Hardness Can Reach 50 Hrc, Work Flat, so That The Wrench Completely Fit The Bolt Hole The Torque Unniform, force Effectively Improve The Efficiency.

ITEM No	SIZE	QTY	G.W	CBM
032301	SHORT	72	20.5	0.047
032302	MEDIUM	60	23.5	0.051
032303	LONG	60	28.5	0.059

9PCS TORX KEY SET



Integral Cr-v Forging,high Torque Strong Grip, after Secondary Quenching, The Hardness Can Reach 50 Hrc, Work Flat, so That The Wrench Completely Fit The Bolt Hole The Torque Unniform, force Effectively Improve The Efficiency.

ITEM No	SIZE	QTY	G.W	CBM
032304	SHORT	72	21.5	0.047
032305	MEDIUM	60	21.5	0.052
032306	LONG	60	27	0.059

9PCS BALL END HEX KEY SET



Integral Cr-v Forging,high Torque Strong Grip, after Secondary Quenching, The Hardness Can Reach 50 Hrc, Work Flat, so That The Wrench Completely Fit The Bolt Hole The Torque Unniform, force Effectively Improve The Efficiency.

ITEM No	SIZE	QTY	G.W	CBM
032307	SHORT	72	20.5	0.047
032308	MEDIUM	60	23.5	0.051
032309	LONG	60	28.5	0.059


9PCS HEX KEY SET (FLAT)



FLAT

ITEM No	SIZE	QTY	G.W	CBM
032327	FLAT MEDIUM	60	25	0.03
032328	LLAT LONG	60	29	0.03

9PCS HEX KEY SET (STAR SHORT)



STAR

ITEM No	SIZE	QTY	G.W	CBM
032329	STAR MEDIUM	60	23	0.03
032330	STAR LONG	60	28	0.03

SPARK PLUG WRENCH



ITEM No	SIZE	QTY	G.W	CBM
061601	14MM	50	10.6	0.0153
061602	16MM	48	13.7	0.044
061603	21MM	48	15.4	0.044

ADJUSTABLE WRENCH



45
STEEL

High Quality Chrome Vanadium Steel Wrench Opening Thicker Design. high Thickness, Strong Torque, Durable, wrench Overall Chrome Plating, Anti-skid Durable Complete Specifications, easy To Use. suitable For A Variety Scenes To Use.

ITEM No	SIZE	QTY	G.W	CBM
030108	8"/200MM	60	19.5	0.015
030109	10"/250MM	48	25	0.02
030110	12"/300MM	24	19	0.017
030111	15"/375MM	16	24	0.02

PIPE WRENCH



IRON

ITEM No	SIZE	QTY	G.W	CBM
011608	8"/200MM	60	24	0.017
011610	10"/250MM	48	32	0.02
011612	12"/300MM	36	33	0.019
011614	14"/350MM	24	29.5	0.02
011618	18"/450MM	16	30.5	0.02
011624	24"/600MM	10	29	0.021
011636	36"/900MM	6	31	0.027

BOLT CUTTER



CR-Mo

ITEM No	SIZE	QTY	G.W	CBM
011918	18"/450MM	12	18.6	0.031
011924	24"/600MM	8	20.5	0.0365
011930	30"/750MM	5	20	0.032
011936	36"/900MM	4	22.5	0.0325
011942	42"/1050MM	3	25.2	0.042
011948	48"/1200MM	2	20	0.027

ADJUSTABLE WRENCH



High Quality Chrome Vanadium Steel Wrench Opening Thicker Design. high Thickness, Strong Torque, Durable, wrench Overall Chrome Plating, Anti-skid Durable Complete Specifications, easy To Use. suitable For A Variety Scenes To Use.

ITEM No	SIZE	QTY	G.W	CBM
030102	8"/200MM	120	33	0.025
030103	10"/250MM	60	27.5	0.022
030104	12"/300MM	36	28	0.023
030105	15"/375MM	24	34.5	0.027

UNIVERSAL WRENCH



CR-V
Material

23 - 32MM
9 - 14MM 15 - 22MM

ITEM No	SIZE	QTY	G.W	CBM
031601	2PCS	24SETS	17	0.03

MINI BOLT CUTTER



CR-V
Material

ITEM No	SIZE	QTY	G.W	CBM
011900	8"/ 200MM	60	20	0.038

RATCHET WRENCH



CR-V
Material

ITEM No	SIZE	QTY	G.W	CBM
031401	1.2"/ 12.5MM	24	15.5	0.018

RATCHET WRENCH SET



8MM/ 10MM
12MM/ 13MM
14MM/ 17MM/ 19MM

ITEM No	SIZE	QTY	G.W	CBM
031301	7PCS	20	20.5	0.04

RATCHET WRENCH SET (Movable head)



8MM/ 10MM
12MM/ 13MM
14MM/ 17MM/ 19MM

ITEM No	SIZE	QTY	G.W	CBM
031302	7PCS	20	22.5	0.04

COMBINATION SPANNER SET



CR-V
Material

6PCS: 6/ 8/ 10/ 12/ 14/ 17
8PCS: 6/ 8/ 10/ 12/ 14/ 17/ 19/ 22
10PCS: 8/ 10/ 12/ 14/ 15/ 17/ 19/ 22/ 24

ITEM No	SIZE	QTY	G.W	CBM
030618	6PCS	30	14	0.043
030619	8PCS	20	18.5	0.044
030620	10PCS	10	14	0.031

OFFSET RING SPANNER SET



CR-V
Material

[6- 22] 6*7/ 8*9/ 10*11/ 12*13
14*15/ 16*17/ 18*19/ 20*22MM

ITEM No	SIZE	QTY	G.W	CBM
030622	8PCS	20	20.5	0.05

DOUBLE OPEN SPANNER SET



CR-V
Material

[6- 22] 6*7/ 8*9/ 10*11/ 12*13
14*15/ 16*17/ 18*19/ 20*22MM

ITEM No	SIZE	QTY	G.W	CBM
030625	8PCS	20	17	0.036

GLASS SUCTION CUPS



Easily Pops Dented Hoods, Doors and Fendrs Into Place
Lift Edge to Release Suction Also Works as Glass
Holder.
Horizontal Suction: 50KGS Vertical Suction: 30KGS

ITEM No	SIZE	QTY	G.W	CBM
120601	120MM [4 - 3/4"]	30	11	0.04

GLASS SUCTION CUPS



Easily Pops Dented Hoods, Doors and Fendrs Into Place
Lift Edge to Release Suction Also Works as Glass
Holder.
Horizontal Suction: 105KGS Vertical Suction: 85KGS

ITEM No	SIZE	QTY	G.W	CBM
120602	120MM [4 - 3/4"]	20	13.2	0.089

GLASS SUCTION CUPS



Easily Pops Dented Hoods, Doors and Fendrs Into Place
Lift Edge to Release Suction Also Works as Glass
Holder.
Horizontal Suction: 50KGS Vertical Suction: 30KGS

ITEM No	SIZE	QTY	G.W	CBM
120603	120MM [4 - 3/4"]	10	13.5	0.08

COMBINATION SPANNER



High Quality Chrome Vanadium Steel Wrench Opening Thicker Design. High Thickness, strong Torque, durable, wrench Overall Chrome Plating, anti-skid Durable Complete Specifications, Easy To Use. suitable For A Variety Scenes To Use.

ITEM No	SIZE	QTY	G.W	CBM
030206	6MM	300	6.4	0.0085
030208	8MM	300	10	0.01
030209	9MM	300	11.5	0.011
030210	10MM	300	12.7	0.0113
030211	11MM	300	14.5	0.0123
030212	12MM	250	16.1	0.013
030213	13MM	250	18.3	0.014
030214	14MM	250	21.4	0.016
030215	15MM	150	14.6	0.0143
030216	16MM	100	11.3	0.0111
030217	17MM	100	13.2	0.014
030218	18MM	100	14.5	0.014
030219	19MM	100	17.5	0.016
030221	21MM	60	13.2	0.015
030222	22MM	60	14.9	0.015
030224	24MM	60	18.7	0.017
030227	27MM	30	11.6	0.012
030230	30MM	30	15	0.017
030232	32MM	30	17.6	0.017
030236	36MM	30	26	0.02

DOUBLE OPEN END SPANNER



High Quality Chrome Vanadium Steel Wrench Opening Thicker Design. High Thickness, strong Torque, durable, wrench Overall Chrome Plating, anti-skid Durable Complete Specifications, Easy To Use. suitable For A Variety Scenes To Use.

ITEM No	SIZE	QTY	G.W	CBM
030306	6*7	300	6.4	0.0085
030308	8*9	300	10	0.01
030301	8*10	300	11.5	0.008
030309	9*11	300	11.5	0.011
030310	10*11	300	12.7	0.0113
030302	10*12	250	13.5	0.01
030312	12*13	250	14.5	0.0123
030303	12*14	250	19	0.013
030313	13*15	250	16.1	0.013
030304	13*16	250	20	0.013
030314	14*15	250	18.3	0.014
030305	14*17	150	15	0.01
030316	16*17	150	21.4	0.016
030307	16*18	150	17.5	0.012
030317	17*19	100	14.6	0.0143
030318	18*19	100	11.3	0.0111
030319	19*22	100	13.2	0.014
030320	20*22	100	14.5	0.014
030321	21*13	60	17.5	0.016
030322	22*24	60	14.9	0.015
030324	24*27	60	18.7	0.017
030325	25*28	30	11.6	0.013
030327	27*30	30	15	0.017
030330	30*32	30	17.6	0.017
030332	32*36	30	26	0.02

OFFSET RING SPANNER



High Quality Chrome Vanadium Steel Wrench Opening Thicker Design. High Thickness, strong Torque, durable, wrench Overall Chrome Plating, anti-skid Durable Complete Specifications, Easy To Use. suitable For A Variety Scenes To Use.

ITEM No	SIZE	QTY	G.W	CBM
030406	6*7	300	15.5	0.015
030407	8*10	300	13.5	0.01
030408	8*9	300	20.5	0.019
030409	9*11	300	17.5	0.015
030410	10*11	200	18.5	0.017
030411	10*12	300	16	0.015
030412	12*13	200	27.5	0.024
030401	12*14	150	13	0.01
030413	13*15	150	15	0.01
030402	13*16	150	14	0.01
030414	14*15	150	25.5	0.018
030415	14*17	150	19.5	0.016
030416	16*17	100	21	0.02
030403	16*18	150	21	0.016
030417	17*19	150	27.5	0.021
030418	18*19	100	31	0.026
030419	19*22	60	15.5	0.012
030420	20*22	60	23	0.02
030421	21*23	60	28	0.022
030422	22*24	60	17	0.014
030424	24*27	30	14.5	0.011
030425	25*28	30	17.5	0.017
030427	27*30	30	17	0.015
030430	30*32	30	20.5	0.017
030432	32*36	30	22	0.017

OFFSET RING SPANNER



BEND 75°

ITEM No	SIZE	QTY	G.W	CBM
030460	6*7	300	15.5	0.015
030461	8*9	300	20.5	0.019
030462	10*11	200	18.5	0.017
030463	12*13	200	27.5	0.024
030464	14*15	150	25.5	0.018
030465	16*17	100	21	0.02
030466	18*19	100	31	0.026
030467	20*22	60	23	0.02
030468	21*13	60	28	0.022
030469	24*27	30	14.5	0.011
030470	25*28	30	17.5	0.017
030471	30*32	30	20.5	0.017
030472	32*36	30	22	0.017



RATCHET COMBINATION SPANNER



High Quality Chrome Vanadium Steel Wrench Opening Thicker Design. High Thickness, strong Torque, durable, wrench Overall Chrome Plating, anti-skid Durable Complete Specifications, Easy To Use. suitable For A Variety Scenes To Use.

ITEM No	SIZE	QTY	G.W	CBM
031306	6MM	240	7.5	0.006
031307	7MM	240	9.5	0.006
031308	8MM	240	10	0.006
031309	9MM	240	12.5	0.011
031310	10MM	240	15.5	0.011
031311	11MM	240	18.4	0.011
031312	12MM	200	17.3	0.012
031313	13MM	200	19.8	0.012
031314	14MM	150	17.8	0.013
031315	15MM	150	22.5	0.013
031316	16MM	120	19.5	0.014
031317	17MM	120	22.5	0.017
031318	18MM	100	21.8	0.015
031319	19MM	100	24	0.017
031320	20MM	80	29.5	0.021
031321	21MM	80	29.5	0.021
031322	22MM	80	29.5	0.021
031323	23MM	50	26.8	0.018
031324	24MM	50	26.8	0.018
031325	25MM	50	26.8	0.018
031326	26MM	40	26.5	0.018
031327	27MM	40	26.5	0.018
031328	28MM	30	26	0.017
031329	29MM	30	26	0.017

RATCHET COMBINATION SPANNER



High Quality Chrome Vanadium Steel Wrench Opening Thicker Design. High Thickness, strong Torque, durable, wrench Overall Chrome Plating, anti-skid Durable Complete Specifications, Easy To Use. suitable For A Variety Scenes To Use.

ITEM No	SIZE	QTY	G.W	CBM
030706	6MM	240	7.5	0.006
030707	7MM	240	9.5	0.006
030708	8MM	240	10	0.006
030709	9MM	240	12.5	0.011
030710	10MM	240	15.5	0.011
030711	11MM	240	18.4	0.011
030712	12MM	200	17.3	0.012
030713	13MM	200	19.8	0.012
030714	14MM	150	17.8	0.013
030715	15MM	150	22.5	0.013
030716	16MM	120	19.5	0.014
030717	17MM	120	22.5	0.017
030718	18MM	100	21.8	0.015
030719	19MM	100	24	0.017
030720	20MM	80	29.5	0.021
030721	21MM	80	29.5	0.021
030722	22MM	80	29.5	0.021
030723	23MM	50	26.8	0.018
030724	24MM	50	26.8	0.018
030725	25MM	50	26.8	0.018
030726	26MM	40	26.5	0.018
030727	27MM	40	26.5	0.018
030728	28MM	30	26	0.017
030729	29MM	30	26	0.017

LTYPE WRENCH WITH HOLE



Slip Roll Plating by Fine Polishing.
Surface Finishing Polishing Treatment of Electroplated Bright Chromium.
Sleeve Rolling Flower Treatment to Increase the Friction.

ITEM No	SIZE	QTY	G.W	CBM
031906	6MM	400	19.5	0.011
031907	7MM	400	19.8	0.011
031908	8MM	360	19.5	0.011
031909	9MM	280	26	0.0124
031910	10MM	216	21	0.0124
031911	11MM	192	17	0.013
031912	12MM	168	20.5	0.013
031913	13MM	144	24	0.0123
031914	14MM	100	20	0.0123
031915	15MM	80	20	0.0123
031916	16MM	72	20	0.0156
031917	17MM	64	19.5	0.0123
031918	18MM	48	20	0.0123
031919	19MM	48	19	0.0123
031920	20MM	48	24	0.016
031921	21MM	40	22	0.016
031922	22MM	40	24	0.016
031923	23MM	32	23	0.016
031924	24MM	32	25	0.0178

1/2" DEEP SOCKET



Slip Roll Plating by Fine Polishing.
Surface Finishing Polishing Treatment of Electroplated Bright Chromium.
Sleeve Rolling Flower Treatment to Increase the Friction.

ITEM No	SIZE	QTY	G.W	CBM
032408	8MM	216	23.6	0.0135
032409	9MM	216	23.5	0.0135
032410	10MM	216	23.5	0.0135
032411	11MM	216	23.5	0.0135
032412	12MM	216	24.6	0.0135
032413	13MM	216	26.5	0.0135
032414	14MM	216	25.8	0.0135
032415	15MM	216	23.6	0.0135
032416	16MM	216	20.9	0.0135
031217	17MM	180	26	0.0135
031218	18MM	120	16.5	0.0135
032419	19MM	120	16.8	0.0135
032420	20MM	120	21.2	0.0135
032421	21MM	120	23.8	0.0135
032422	22MM	96	21.9	0.0135
032430	30MM	60	23	0.0135
032432	32MM	48	23.3	0.0135

1/2" SHORT SOCKET



Slip Roll Plating by Fine Polishing.
Surface Finishing Polishing Treatment of Electroplated Bright Chromium.
Sleeve Rolling Flower Treatment to Increase the Friction.

ITEM No	SIZE	QTY	G.W	CBM
031208	8MM	400	23.1	0.013
031209	9MM	400	22.8	0.013
031210	10MM	400	23.5	0.013
031211	11MM	400	23	0.013
031212	12MM	400	24.7	0.013
031213	13MM	400	24	0.013
031214	14MM	400	23.5	0.013
031215	15MM	400	22.3	0.013
031216	16MM	400	21	0.013
031217	17MM	300	21	0.013
031218	18MM	240	18.5	0.013
031219	19MM	240	17.6	0.013
031220	20MM	240	20	0.013
031221	21MM	240	18.8	0.013
031222	22MM	200	20	0.013
031223	23MM	180	19.5	0.013
031224	24MM	180	19.6	0.013
031227	27MM	120	16.6	0.013
031230	30MM	120	24.4	0.013
03123	32MM	80	17.5	0.013

COMBINATION SPANNER SET



- 8PCS: 6, 8, 10, 12, 14, 17, 19, 22
- 10PCS: 6, 8, 10, 12, 14, 17, 19, 22, 24
- 12PCS: 6, 8, 10, 12, 14, 17, 19, 22, 24, 27, 30, 32
- 14PCS: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24

ITEM No	SIZE	QTY	G.W	CBM
030602	8PCS	20	19	0.029
030603	10PCS	10	14.5	0.021
030604	12PCS	10	28.5	0.032
030605	14PCS	10	16.5	0.027

OFFSET RING SPANNER SET



High Quality Chrome Vanadium Steel Wrench Opening Thicker Design.high Thickness,strong T orque,durable,wrench Overall Chrome Plating,anti-skid Durable Complete Specifications, Easy To Use.suitable For A Variety Scenes To Use

- [6 - 22] 6*7/ 8*9/ 10*11/ 12*13/ 14*15/ 16*17/ 18*19/ 20*22

ITEM No	SIZE	QTY	G.W	CBM
030608	8PCS	20	21.5	0.038

DOUBLE OPEN SPANNER SET



High Quality Chrome Vanadium Steel Wrench Opening Thicker Design.high Thickness,strong T orque,durable,wrench Overall Chrome Plating,anti-skid Durable Complete Specifications, Easy To Use.suitable For A Variety Scenes To Use

- [6 - 22] 6*7/ 8*9/ 10*11/ 12*13/ 14*15/ 16*17/ 18*19/ 20*22

ITEM No	SIZE	QTY	G.W	CBM
030614	8PCS	20	17.3	0.023

EXTENSION BAR



Forged Of Cr-v Steel, surface Sandblasting,the Combination Degree Is High. Thickness, hardness Durable.

ITEM No	SIZE	QTY	G.W	CBM
031802	5"/75MM	96	20.6	0.03
031803	10"/250MM	48	25.6	0.015

L HANDLE WRENCH



Forged Of Cr-v Steel, surface Sandblasting,the Combination Degree Is High. Thickness, hardness Durable.

ITEM No	SIZE	QTY	G.W	CBM
030901	10"/250MM	48	22	0.023
030902	12"/300MM	48	25.6	0.024

SLIDING BAR



Forged Of Cr-v Steel, surface Sandblasting,the Combination Degree Is High. Thickness, hardness Durable.

ITEM No	SIZE	QTY	G.W	CBM
032001	10"/250MM	48	17.3	0.022

10PCS 1/2" BIHEXAGONAL SOCKET SET



CR-V
Material

Forget 50bv30 Chrome Vanadium Steel, Bright Surface, Fine Workmanship, Strong And Durable. The Inside Of The Sleeve Is Grinded Smooth With Clear Edges And Corners, And The Quality Reaches The European Standard.

ITEM No	SIZE	QTY	G.W	CBM
070203	1/2"	36	25.7	0.04

16PCS 1/2" SOCKET SET



CR-V
Material

Forget 50bv30 Chrome Vanadium Steel, Bright Surface, Fine Workmanship, Strong And Durable. The Inside Of The Sleeve Is Grinded Smooth With Clear Edges And Corners, And The Quality Reaches The European Standard.

ITEM No	SIZE	QTY	G.W	CBM
070204	1/2"	12	24.5	0.029

16PCS 1/2" SOCKET SET



CR-V
Material

Forget 50bv30 Chrome Vanadium Steel, Bright Surface, Fine Workmanship, Strong And Durable. The Inside Of The Sleeve Is Grinded Smooth With Clear Edges And Corners, And The Quality Reaches The European Standard.

ITEM No	SIZE	QTY	G.W	CBM
070205	1/2"	16	25.2	0.054

4PCS 1/2" SOCKET WRENCH



CR-V
Material

4pcs : Extension bar 10", Extension bar 5", sliding T bar 10", Flexible handle 10".

ITEM No	SIZE	QTY	G.W	CBM
030501	4PCS	12	17.7	0.02

3PCS 1/2" SOCKET WRENCH



CR-V
Material

3pcs : Extension bar 10", Extension bar 5", Extension bar 3".

ITEM No	SIZE	QTY	G.W	CBM
030504	3PCS	20	16	0.035

4PCS 1/2" SOCKET WRENCH



CR-V
Material

4pcs : Extension bar 10", Extension bar 5", sliding T bar 10", Flexible handle 10".

ITEM No	SIZE	QTY	G.W	CBM
030502	4PCS	12	14.3	0.019

3PCS 1/2" SOCKET WRENCH



CR-V
Material

3pcs : Extension bar 10", Extension bar 5", Extension bar 3".

ITEM No	SIZE	QTY	G.W	CBM
030503	3PCS	20	21	0.035

24PCSS 1/2" SOCKET SET



1/2"DR 24PCS SOCKET SET
 18-APT SOCKET 10-11-12-13-14-15-16
 17-18-19-20-21-22-23-24-27-30-32MM
 1-SLIDING BAR 10" 2-EXTENSION BAR 8"-10"
 1-SPARK PLUG 21MM 1-MEATL CASE
 1-UNIVERSAL JOINT 1-RATCHET HANDLE 24T

CR-V
Material

ITEM No	SIZE	QTY	G.W	CBM
070201	1/2"	5	24.5	0.031

6PCS L TYPE WRENCH WITH HOLE



CR-V
Material

8MM/ 10MM/ 12MM/ 13MM/ 17MM/ 19MM

ITEM No	SIZE	QTY	G.W	CBM
031952	6PCS	10SETS	14.4	0.0318

C TYPE DOUBLE RING SPANNER

CR-V
Material



8X10MM 11X13MM 14X15MM 17X19MM 21X22MM

ITEM No	SIZE	QTY	G.W	CBM
030628	5PCS	30	18	0.031

10PCSS 1/2" SOCKET SET



CR-V
Material

Forget 50BV30 Chrome Vanadium Steel, Bright Surface, Fine Workmanship, Strong and Durable, The Inside of the Sleeve is Grinded Smooth with Clear Edges and Corners, and the Quality Reaches the European Standard.

ITEM No	SIZE	QTY	G.W	CBM
070206	1/2"	20	25.1	0.027

9PCS L TYPE WRENCH WITH HOLE



CR-V
Material

8MM/ 9MM/ 10MM/ 11MM/ 12MM
 13MM/ 14MM/ 17MM/ 19MM

ITEM No	SIZE	QTY	G.W	CBM
031954	9PCS	8SETS	15.8	0.042

S TYPE DOUBLE RING SPANNER

CR-V
Material



10X11MM 12X13MM 14X15MM 16X17MM 18X19MM

ITEM No	SIZE	QTY	G.W	CBM
030627	5PCS	30	18	0.031

9PCS RATCHET DIE STOCKS

IND
INDUSTRIAL



ITEM No	SIZE	QTY	G.W	CBM
101701	1",1/4",3/8",1",2,3/4",1",11/4	24	25	0.048

MEASURE TAPE



High Quality Abs Shuck, Strong Resistance To Falling, Steel Strip, Good Elasticity And Toughness, Matte Strip Surface, Nice Lookin.

ITEM No	SIZE	QTY	G.W	CBM
080101	3M*16MM	120	13.5	0.019
080102	5M*19MM	120	23.5	0.026
080103	5M*25MM	72	17.7	0.022
080104	7.5M*25MM	72	26.5	0.028
080105	10M*25MM	48	22.8	0.023

MEASURE TAPE (Leather Case)



High Quality Abs Shuck, strong Resistance To Falling, steel Strip, good Elasticity And Toughness, Matte Strip Surface, nice Lookin.

ITEM No	SIZE	QTY	G.W	CBM
080106	3M*16MM	120	16	0.028
080107	5M*19MM	120	27	0.04
080108	5M*25MM	72	22	0.03
080109	7.5M*25MM	72	29	0.0365

MEASURE TAPE (Encapsulation)



High Quality Abs Shuck, strong Resistance To Falling, steel Strip, good Elasticity And Toughness, Matte Strip Surface, nice Lookin.

ITEM No	SIZE	QTY	G.W	CBM
080110	3M*16MM	120	15	0.031
080111	5M*19MM	120	26	0.042
080112	5M*25MM	72	19.4	0.024
080113	7.5M*25MM	72	29.5	0.035

MEASURE TAPE (Number Concatenation)



High Quality Abs Shuck, strong Resistance To Falling, steel Strip, good Elasticity And Toughness, Matte Strip Surface, nice Lookin.

ITEM No	SIZE	QTY	G.W	CBM
080114	3M*16MM	120	15	0.031
080115	5M*19MM	120	26	0.042
080116	5M*25MM	72	19.5	0.024
080117	7.5M*25MM	72	29.5	0.035

FIBERGLASS MEASURING TAPE



Glass Fiber Tape, with Clear and Durable Graduation
High Impact Abs Clip Ergonomics Comfortable Grip.

ITEM No	SIZE	QTY	G.W	CBM
080301	30M	20	17	0.069
080302	50M	20	23	0.069
080303	100M	12	22	0.033

STEEL FRAME MEASURING TAPE



Glass Fiber Tape, with Clear and Durable Graduation
High Impact Abs Clip Ergonomics Comfortable Grip.

ITEM No	SIZE	QTY	G.W	CBM
080304	30M	20	12.5	0.059
080305	50M	20	18	0.078
080306	100M	12	19	0.072

LASER RANGE FINDER



Multiple Measurement Modes Meet Daily Measurement Requirements.

ITEM No.	SIZE	QTY	G.W	CBM
080902	40M	20	5	0.041
080903	70M	20	5	0.041

LINE LASER LEVEL



ITEM No.	SIZE	QTY	G.W	CBM
081001	6 LINE	20	10	0.05

FIBREGLASS MEASURING TAPE (Encapsulation)



Glass Fiber Tape ,with Clear. And Durable Graduation High. Impact Abs Clip Ergonomics. Comfortable Grip.

ITEM No.	SIZE	QTY	G.W	CBM
080201	30M	40	24.3	0.069
080202	50M	20	18	0.048

LINE LASER LEVEL



ITEM No.	SIZE	QTY	G.W	CBM
081002	12 LINE	8	10	0.05

COMBINATION RULER



Stainless Steel Guage Is More Convenient To Use, Suitable For Different Places.

ITEM No.	SIZE	QTY	G.W	CBM
080501	300MM	60	15	0.063

FIBREGLASS MEASURING TAPE (Plastic case)



Glass Fiber Tape ,with Clear. And Durable Graduation High. Impact Abs Clip Ergonomics. Comfortable Grip.

ITEM No.	SIZE	QTY	G.W	CBM
080203	20M	40	15	0.046
080204	30M	40	25.5	0.063
080205	50M	20	16	0.044

STAINLESS ANGLE SQUIRE



2.3mm Thickness Stainless Steel, Not Easy To Bend, Not Easy To Rust, Smooth And Beautiful Surface Treatment.

ITEM No.	SIZE	QTY	G.W	CBM
080502	200*300MM	100	26	0.013
080503	400*600MM	36	26.5	0.025

BLACK ANGLE SQUARE



Steel Ruler, Sprayed With Black Plastic Powder On The Surface, Rust Proof.

ITEM No.	SIZE	QTY	G.W	CBM
080504	200*300MM	100	19	0.01
080505	400*600MM	36	19.5	0.015

MINI SPIRIT LEVEL



Aluminum Alloy High Precision, Error<0.01mm Industrial Grade Quality Two Ends With Magnetic.

ITEM No	SIZE	QTY	G.W	CBM
080413	9"/225MM	120	11.5	0.032

F CLAMP



ITEM No	SIZE	QTY	G.W	CBM
012301	50*150MM	50	13	0.01
012302	50*250MM	50	15	0.01
012303	80*300MM	30	14	0.01
012304	120*300MM	20	14	0.01
012305	120*500MM	10	16	0.01
012306	120*800MM	6	13	0.01

F CLAMP (Plastic handle)



ITEM No	SIZE	QTY	G.W	CBM
012401	50*150MM	50	13	0.01
012402	50*250MM	50	15	0.01
012403	80*300MM	30	14	0.01
012404	120*300MM	20	14	0.01
012405	120*500MM	10	16	0.01
012406	120*800MM	6	13	0.01

SPIRIT LEVEL (Industrial)



With High Precision Spirit Bubble, Error <0.05mm 1.2mm Thickness Aluminum Body, two Ends With Magnetic.

ITEM No	SIZE	QTY	G.W	CBM
080402	400MM	40	17.5	0.0413
080403	600MM	40	26.8	0.0585
080404	900MM	40	35	0.089

BRIDGE SPIRIT LEVEL



Aluminum Alloy High Precision, Error<0.01mm Industrial Grade Quality.

ITEM No	SIZE	QTY	G.W	CBM
080410	400MM	40	17.5	0.023
080411	500MM	40	20.5	0.0284
080412	600MM	40	21.5	0.0344

SPIRIT LEVEL (light)



ITEM No	SIZE	QTY	G.W	CBM
080415	30CM	60	13	0.021
080416	40CM	60	17	0.027
080417	50CM	60	21	0.034
080418	60CM	60	25	0.04
080419	80CM	30	15	0.028
080420	100CM	30	18	0.035
080421	120CM	30	20	0.042

SPIRIT LEVEL



With High Precision Spirit Bubble, Error<0.05mm 1.2mm Thickness Aluminum Body, Two Ends With Magnetic.

ITEM No	SIZE	QTY	G.W	CBM
080405	300MM	60	15	0.0288
080406	450MM	60	21.5	0.045
080407	600MM	60	26.5	0.066
080408	900MM	30	19.5	0.05

CLAW HAMMER (American)



The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050101	8OZ	48	19.5	0.029
050102	12OZ	36	20	0.027
050103	16OZ	24	17.5	0.027
050104	20OZ	24	20	0.026

CLAW HAMMER (British)



The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050106	25MM	36	25	0.03
050107	27MM	24	18	0.027
050108	29MM	24	20	0.024

CLAW HAMMER (Wooden handle)



The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050133	8OZ	48	18.5	0.028
050134	16OZ	24	16	0.024

OCTAGONAL HAMMER



The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050109	2LB	24	27	0.027
050110	3LB	18	21	0.012
050111	4LB	12	26	0.021
050112	10LB	4	22.5	0.024
050113	20LB	2	20.5	0.017

BALL PIN HAMMER



The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050114	1LB	24	17	0.02
050115	1.5LB	24	24	0.025
050116	2LB	12	17	0.018

FITTER HAMMER



The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050119	300G	48	27	0.03
050121	500G	24	18	0.018
050123	800G	18	20.5	0.024
050124	1000G	12	17	0.018
050125	1500G	12	23.2	0.0197
050126	2000G	12	28.4	0.0252

MINI CLAW HAMMER



IND
INDUSTRIAL

ITEM No	SIZE	QTY	G.W	CBM
050100	8OZ	48	12	0.01

ONE PIECE CLAW HAMMER



IND
INDUSTRIAL

ITEM No	SIZE	QTY	G.W	CBM
050140	16OZ	24	21	0.026

FRENCH TYPE CLAW HAMMER



IND
INDUSTRIAL

The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050127	700G	24	13.3	0.019

AXE



45
STEEL

Head Carbon Steel, specially Embedded, not Easy To Fall Off Edge Hardened, shaarp. durable High Quality Plastic Handle. non-slip Comfort.

ITEM No	SIZE	QTY	G.W	CBM
050301	600G	24	23	0.028

RUBBER HAMMER



IND
INDUSTRIAL

The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050128	8OZ	36	14.5	0.035
050130	16OZ	24	15	0.034
050131	24OZ	24	21.5	0.05

STONE HAMMER



IND
INDUSTRIAL

The hammer head is forged with 45 steel, The whole body is sprayed with plastic paint to prevent rust, The impact surface is polished with 2 mm 45 degree chamfer, The impact surface hardness is in hrc 52tp.

ITEM No	SIZE	QTY	G.W	CBM
050135	1000G	12	16	0.014
050136	1500G	12	21.5	0.015
050137	2000G	12	28	0.0185

AXE



IND
INDUSTRIAL

ITEM No	SIZE	QTY	G.W	CBM
050302	800G	24	25	0.03

AVIATION SNIPS R



CR-V
Material

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency

ITEM No	SIZE	QTY	G.W	CBM
020303	10"/250MM	36	15.5	0.04

AVIATION SNIPS L



CR-V
Material

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency

ITEM No	SIZE	QTY	G.W	CBM
020302	10"/250MM	36	15.5	0.04

AVIATION SNIPS S



CR-V
Material

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency

ITEM No	SIZE	QTY	G.W	CBM
020301	10"/250MM	36	16	0.04

TIN CUTTER



CR-V
Material

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency

ITEM No	SIZE	QTY	G.W	CBM
020401	8"/200MM	48	16.3	0.033
020402	10"/250MM	36	19	0.03
020403	12"/300MM	36	25.4	0.034

TIN CUTTER (American)



CR-V
Material

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency.

ITEM No	SIZE	QTY	G.W	CBM
020405	10"/250MM	36	19	0.336
020406	12"/300MM	36	30	0.045
020407	8"/200MM	48	16.7	0.03

CABLE CUTTER



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
020201	6"/150MM	120	25.7	0.059
020202	8"/200MM	60	17.2	0.039
020203	10"/250MM	60	20.5	0.04

MULTIFUNCTIONAL SCISSORS



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
020102	10"/250MM	72	20.7	0.037

MULTIFUNCTIONAL SCISSORS (incline)



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
020103	12"/300MM	72	20.7	0.037

PRUNING SHEARS



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
110102	7.5"/185MM	60	11.6	0.037

PRUNING SHEARS



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
110101	8"/200MM	60	18.7	0.042

PRUNING SHEARS



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
110103	8"/200MM	60	18.9	0.033
110104	10"/250MM	48	24.2	0.039

HOUSEHOLD SCISSORS



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
020101	215MM	90	25	0.065

WIRE STRIPPER



CR-V
Material

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency.

ITEM No	SIZE	QTY	G.W	CBM
010501	8"/200MM	120	19.1	0.045

2 IN 1 WIRE STRIPPER



CR-V
Material

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency.

ITEM No	SIZE	QTY	G.W	CBM
010502	8"/200MM	72	17.3	0.039

PRUNING SHEARS



CR-V
Material

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency.

ITEM No	SIZE	QTY	G.W	CBM
110105	9"/225MM	48	22	0.035

FENCE CUTTER



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
020501	10"/200MM	24	22.5	0.037

FENCE CUTTER (Adjustable)



CR-V
Material

Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
020502	12"/300MM	12	16	0.035

FENCE CUTTER (Aluminum)



Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
020503	12"/300MM	24	32.5	0.084

HACKSAW FRAME



Professional Hacksaw Frame, Handle Design More Suitable For Human Body Aesthetics, Prevent Long-term Operation Hand Fatigue, Better Grip Strength, Easier Cutting, Long-term Work.

ITEM No	SIZE	QTY	G.W	CBM
101001	12"/300MM	36	21.4	0.089

HACKSAW FRAME (Adjustable)



Professional Hacksaw Frame, Handle Design More Suitable For Human Body Aesthetics, Prevent Long-term Operation Hand Fatigue, Better Grip Strength, Easier Cutting, Long-term Work.

ITEM No	SIZE	QTY	G.W	CBM
101002	12"/300MM	48	23	0.044

HACKSAW FRAME



Professional Hacksaw Frame, Handle Design More Suitable For Human Body Aesthetics, Prevent Long-term Operation Hand Fatigue, Better Grip Strength, Easier Cutting, Long-term Work.

ITEM No	SIZE	QTY	G.W	CBM
101003	12"/300MM	48	20	0.068

HACKSAW FRAME



Professional Hacksaw Frame, Handle Design More Suitable For Human Body Aesthetics, Prevent Long-term Operation Hand Fatigue, Better Grip Strength, Easier Cutting, Long-term Work.

ITEM No	SIZE	QTY	G.W	CBM
101004	12"/300MM	40	26	0.039

ALUMINUM HACKSAW FRAME



Professional Hacksaw Frame, Handle Design More Suitable For Human Body Aesthetics, Prevent Long-term Operation Hand Fatigue, Better Grip Strength, Easier Cutting, Long-term Work.

ITEM No	SIZE	QTY	G.W	CBM
101005	12"/300MM	36	21	0.067

HACKSAW FRAME



Professional Hacksaw Frame, Handle Design More Suitable For Human Body Aesthetics, Prevent Long-term Operation Hand Fatigue, Better Grip Strength, Easier Cutting, Long-term Work.

ITEM No	SIZE	QTY	G.W	CBM
101007	12"/300MM	48	24.5	0.047

HAND SAW (Plastic Handle)



Made Of 65mn Steel Heat Treated Saw Teeth Hardness >hrc53 Hard And Sharp Two Sides Grinding Tooth, sharp And Quickly Remove The Chip Soft Feeling Tpr Handle.

ITEM No	SIZE	QTY	G.W	CBM
110211	18"/450MM	48	22	0.075
110212	20"/500MM	48	23.5	0.082
110213	22"/550MM	48	25.5	0.089
110214	24"/600MM	48	27.5	0.094

HAND SAW (Wooden Handle)



Made Of 65mn Steel Heat Treated Saw Teeth Hardness >hrc53 Hard And Sharp Two Sides Grinding Tooth, sharp And Quickly Remove The Chip Soft Feeling Tpr Handle.

ITEM No	SIZE	QTY	G.W	CBM
110215	14"/350MM	48	18	0.042
110216	16"/400MM	48	19.6	0.047
110217	18"/450MM	48	21	0.05
110218	20"/500MM	48	23	0.055
110219	22"/550MM	48	24.5	0.059
110220	24"/600MM	48	24.5	0.064

PRUNING SAW



Made Of 65mn Steel Heat Treated Saw Teeth Hardness >hrc53 Hard And Sharp Two Sides Grinding Tooth,sharp And Quickly Remove The Chip Soft Feeling Tpr Handle.

ITEM No	SIZE	QTY	G.W	CBM
110201	12"/300MM	48	16.9	0.07

PRUNING SAW (Hook Saw)



Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
110200	17"/430MM	48	22	0.05

BOW SAW



Professional Hacksaw Frame, Handle Design More Suitable For Human Body Aesthetics, Prevent Long-term Operation Hand Fatigue, Better Grip Strength, Easier Cutting, Long-term Work.

ITEM No	SIZE	QTY	G.W	CBM
110205	21"	12	8.2	0.037
110206	24"	12	9.5	0.045
110207	30"	12	10.8	0.055
110208	36"	12	12.4	0.0653

FOLDABLE SAW



ITEM No	SIZE	QTY	G.W	CBM
110601	7"/180MM	72	17.8	0.05

BI-METAL SAW BLADE



Industrial Quality, Bimetal 18tpi Saw Blade Suitable To The Application In Cutting Stainless Steel, alloy Steel Etc.

ITEM No	SIZE	QTY	G.W	CBM
100901	12"/300MM	1000	20.4	0.01

SCREWDRIVER +



ITEM No	SIZE	QTY	G.W	CBM
090130	PH2*100MM+	120	17.5	0.0223
090131	PH2*125MM+	120	18.5	0.0223
090132	PH2*150MM+	120	19	0.0244
090133	PH2*200MM+	120	20.5	0.0286

SCREWDRIVER +



Good Hand Feeling When Using, the Work Process is More Convenient.

ITEM No	SIZE	QTY	G.W	CBM
090108	4*/100MM 6MM+	120	11.5	0.023
090109	5*/125MM 6MM+	120	12.8	0.025
090110	6*/150MM 6MM+	120	13	0.025
090112	8*/200MM 6MM+	120	14.5	0.028

SCREWDRIVER +



High-quality Cr-v Steel, High Hardness, Ergonomic Design, Beautiful And Durable.

ITEM No	SIZE	QTY	G.W	CBM
090120	4*/100MM 6MM+	144	11.5	0.027
090121	5*/125MM 6MM+	144	12	0.027
090122	6*/150MM 6MM+	144	13	0.029
090124	8*/200MM 6MM+	144	14.8	0.035

SCREWDRIVER -

(Penetrating Handle)



ITEM No	SIZE	QTY	G.W	CBM
090125	6*100MM	120	17.5	0.0223
090126	6*125MM	120	18.5	0.0223
090127	6*150MM	120	19	0.024
090128	6*200MM	120	20.5	0.0286

SCREWDRIVER -



Good Hand Feeling When Using, the Work Process is More Convenient.

ITEM No	SIZE	QTY	G.W	CBM
090102	4*/100MM 6MM+	120	11.5	0.023
090103	5*/120MM 6MM+	120	12.8	0.025
090105	6*/150MM 6MM+	120	13	0.025
090106	8*/200MM 6MM+	120	14.5	0.028

SCREWDRIVER -



High-quality Cr-v Steel, High Hardness, Ergonomic Design, Beautiful And Durable.

ITEM No	SIZE	QTY	G.W	CBM
090114	4*/100MM 6MM+	144	11.5	0.027
090115	5*/125MM 6MM+	144	12	0.027
090116	6*/150MM 6MM+	144	13	0.029
090118	8*/200MM 6MM+	144	14.8	0.035

2PCS SCREWDRIVER SET



- 6" 125MM
+ PH2*125MM

ITEM No	SIZE	QTY	G.W	CBM
090210	2PCS	48	10	0.0237

4PCS SCREWDRIVER SET



- 5" 100MM
- 6" 150MM
+ PH1*100MM
+ PH2*150MM

ITEM No	SIZE	QTY	G.W	CBM
090211	4PCS	48	15.5	0.044

2iN1 SCREWDRIVER SET



- 6.3" 160MM
+ PH2X160MM

ITEM No	SIZE	QTY	G.W	CBM
090208	2iN1	96	13	0.0565

2PCS SCREWDRIVER SET

(Monochrome Handle)



- 6" 125MM
+ PH2*125MM

ITEM No	SIZE	QTY	G.W	CBM
090214	2PCS	48	9	0.0237

4PCS SCREWDRIVER SET

(Monochrome Handle)



- 5" 100MM
- 6" 150MM
+ PH1*100MM
+ PH2*150MM

ITEM No	SIZE	QTY	G.W	CBM
090215	4PCS	48	14.5	0.044

6iN1 SCREWDRIVER SET



- Slotted: 5MM/6MM
+ Phillips: PH1/PH2
Nut Driver: 6MM/8MM

ITEM No	SIZE	QTY	G.W	CBM
090209	6iN1	72	14	0.0237

6PCS SCREWDRIVER SET

(Penetrating Handle)



- 5" 75MM
- 6" 100MM
- 8" 150MM
+ PH1*75MM
+ PH2*100MM
+ PH3*150MM

The Screwdriver With Magnet, easy To Attract Small Screws The Rod Made Of High Quality Cr-v Steel, high Hardness, ergonomic Design, beautiful And Durable.

ITEM No	SIZE	QTY	G.W	CBM
090213	6PCS	24	16	0.066

7PCS SCREWDRIVER SET



- 3" 75MM
- 5" 75MM - 6" 150MM
+ 3" 75MM + 5" 75MM
+ 5" 100MM + 6" 150MM

The Screwdriver With Magnet, easy To Attract Small Screws The Rod Made Of High Quality Cr-v Steel, high Hardness, ergonomic Design, beautiful And Durable.

ITEM No	SIZE	QTY	G.W	CBM
090205	7PCS	24	13	0.052

6PCS SCREWDRIVER SET



- 5" 75MM
- 5" 100MM - 6" 150MM
+ 5" 75MM
+ 5" 100MM + 6" 150MM

The Screwdriver With Magnet, easy To Attract Small Screws The Rod Made Of High Quality Cr-v Steel, high Hardness, ergonomic Design, beautiful And Durable.

ITEM No	SIZE	QTY	G.W	CBM
090204	6PCS	24	13.5	0.062

TEST PEN



CR-V Material

Dual-Purpose Screwdriver Arbor Made of High-Quality CR-V Alloy Steel, for Awide Rang ABS Hand Lever, Comfortablegrip.

ITEM No	SIZE	QTY	G.W	CBM
040901	3X140MM	720	15.6	0.056

TEST PEN



CR-V Material

Dual-Purpose Screwdriver Arbor Made of High-Quality CR-V Alloy Steel, for Awide Rang ABS Hand Lever, Comfortablegrip.

ITEM No	SIZE	QTY	G.W	CBM
040902	4X180MM	720	26.2	0.086

DIGITAL VOLTAGE TESTER



CR-V Material

Lcd Display, Clear Reading-Induction Test, Direct Test, According to Different Requirements, DifferentTest Schemes Can Be Selected.

ITEM No	SIZE	QTY	G.W	CBM
040903	12V-250V	480	17	0.074

ELECTRICIAN SCREWDRIVER SET



CR-V Material

5PCS: +5*80MM
+ 6* 150MM -3*75MM
-4*100MM -5*125MM

1000V Working Voltage/ CR-V Material, Effectively Protect user Safety, Two-Color Insulated TPR-PP Rubberized Handle.

ITEM No	SIZE	QTY	G.W	CBM
090207	5PCS	36	18	0.05

6PCS PRECISION SCREWDRIVER SET
(Monochrome Handle)



CR-V Material

- 2.0x25MM - 2.5x40MM - 3.0x40MM
+ PH0x25MM + PH00x40MM + PH000x40MM

ITEM No	SIZE	QTY	G.W	CBM
090300	6PCS	48	9.5	0.031

6PCS PRECISION SCREWDRIVER SET



CR-V Material

SL1.4 SL2.0 SL2.4 SL3.0 PH0 PH1

ITEM No	SIZE	QTY	G.W	CBM
090301	6PCS	48	12	0.033

25PCS SCREWDRIVER SET



CR-V Material

The Screwdriver With Magnet, easy To Attract Small Screws The Rod Made Of High Quality Cr-v Steel, high Hardness, ergonomic Design, beautiful And Durable.

ITEM No	SIZE	QTY	G.W	CBM
090201	25PCS	48	19.5	0.083

100PCS SCREWDRIVER SET



CR-V Material

The Screwdriver With Magnet, easy To Attract Small Screws The Rod Made Of High Quality Cr-v Steel, high Hardness, ergonomic Design, beautiful And Durable.

ITEM No	SIZE	QTY	G.W	CBM
090203	100PCS	4	11.5	0.0634


38PCS SCREWDRIVER SET



The Screwdriver With Magnet, easy To Attract Small Screws The Rod Made Of High Quality Cr-v Steel, high Hardness, ergonomic Design, beautiful And Durable.

ITEM No	SIZE	QTY	G.W	CBM
090202	38PCS	6	9.2	0.052

37PCS RATCHET SCREWDRIVER SET



CR-V Material

ITEM No	SIZE	QTY	G.W	CBM
090302	37PCS	48	11	0.0265

41PCS SCREWDRIVER BITS SET


CR-V Material



30PC: 6.3*25mmBTSl,CR-V,
37/6/5.5/5/4//PH0/PH1/PH2/ PH3/PH4/
PZ0/PZ1/PZ2/PZ3/T8 T10/T15/T20/T25/
T27/T30/T40/ H1.5/H2/H2.5/H3/H4/H5/H6
1PC: 25mm4- 6 Change the ball and sand
9PC: S OCKET 4mm/5mm/6mm/7mm/ 8mm/
9mm/10mm/11mm/12mm 1PC: Ratchet.

ITEM No	SIZE	QTY	G.W	CBM
090206	41PCS	24	13	0.019

56PCS PRECISION SCREWDRIVER SET



FOLDABLE KNIFE



Blade: cr-v Plastic Housing Durable And Good-looking Special Design,nore Convenient And Labor-saving.

ITEM No	SIZE	QTY	G.W	CBM
100101	19MM	144	13	0.069

UTILITY KNIFE



Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
100103	0.5MM	240	24	0.089

KNIFE BLADES



Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency

ITEM No	SIZE	QTY	G.W	CBM
100102	100X18MM	300	23	0.016

UTILITY KNIFE (Aluminum)



The handle made of aluminum alloy is more convenient and quick to use. The tool head is made of high-quality alloy steel, which is sharper.

ITEM No	SIZE	QTY	G.W	CBM
100104	19MM	120	14	0.05

PVC PIPE CUTTER (Small)



The Cutter Head Is Made Of Sk5 Material And The Handle Is Made Of Zinc Alloy, Which Is Lighter And More Convenient To Use.

ITEM No	SIZE	QTY	G.W	CBM
100801	3/36"	72	16	0.042

PVC PIPE CUTTER (Ordinary)



The Cutter Head Is Made Of Sk5 Material And The Handle Is Made Of Zinc Alloy, Which Is Lighter And More Convenient To Use,

ITEM No	SIZE	QTY	G.W	CBM
100802	3.42MM	48	18	0.047

PVC PIPE CUTTER (Heavy)



The Cutter Head Is Made Of Sk5 Material And The Handle Is Made Of Zinc Alloy, Which Is Lighter And More Convenient To Use.

ITEM No	SIZE	QTY	G.W	CBM
100803	3/42"	36	17	0.049

PVC PIPE CUTTER



The Cutter Head Is Made Of Sk5 Material And The Handle Is Made Of Zinc Alloy, Which Is Lighter And More Convenient To Use.

ITEM No	SIZE	QTY	G.W	CBM
100804	36MM	72	19	0.055

GLASS CUTTER



Made Of High-level Carbon Steel, Beech Handle Is Smooth, Beautiful Appearance And Better Grip.

ITEM No	SIZE	QTY	G.W	CBM
100501	9"	240	24.5	0.059

HAND RIVETER (11.5")



High Level Steel, Comfortable Handle, can Send And Receive Freely, Never Stuck Nails.

ITEM No	SIZE	QTY	G.W	CBM
120101	11"/280MM	24	20	0.052

HAND RIVETER



High Level Steel, Comfortable Handle, can Send And Receive Freely, Never Stuck Nails.

ITEM No	SIZE	QTY	G.W	CBM
120102	11"/280MM	24	18	0.043

HAND RIVETER (10")



Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
120103	10"/250MM	36	19	0.062

HAND RIVETER (10.5") 2



High Level Steel, Comfortable Handle, can Send And Receive Freely, Never Stuck Nails.

ITEM No	SIZE	QTY	G.W	CBM
120104	10.5"	36	22.8	0.066

HAND RIVETER (32")



High Level Steel, Comfortable Handle, can Send And Receive Freely, Never Stuck Nails.

ITEM No	SIZE	QTY	G.W	CBM
120105	32"	10	16.8	0.019

HAND RIVETER (11")



ITEM No	SIZE	QTY	G.W	CBM
120106	11"/280MM	16	22.8	0.04

HAND RIVETER



ITEM No	SIZE	QTY	G.W	CBM
120107	8"/200MM	24	18	0.036

HAND NUT RIVETER



ITEM No	SIZE	QTY	G.W	CBM
120108	14"/400MM	6	15	0.061

CAULKING GUN



Impact To Prevent Painting Jumping Sturdy And Durable Faster . Smoother Cintrols Indivisible Material,no Distortion,high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120501	9"	24	18.1	0.04

GREASE GUN



GREASE GUN (Blacken)



CAULKING GUN



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cntrls Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
064101	600CC	10	16.2	0.05

Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cntrls Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
064102	140Z/500CC	20	24	0.065

Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency

ITEM No	SIZE	QTY	G.W	CBM
120503	9"	24	13	0.034

CAULKING GUN



CAULKING GUN



The Cutter Head Is Made Of Sk5 Material And The Handle Is Made Of Zinc Alloy, Which Is Lighter And More Convenient To Use.

ITEM No	SIZE	QTY	G.W	CBM
100801	3/36"	72	16	0.042

The Cutter Head Is Made Of Sk5 Material And The Handle Is Made Of Zinc Alloy, Which Is Lighter And More Convenient To Use.

ITEM No	SIZE	QTY	G.W	CBM
120506	9"	36	20.5	0.086

DC LIQUID ADDING PUMP (12V-25MM)



CAULKING GUN



Rated Power Output: 200W
Suction Distance: 5M
Rated Voltage: 12V
Lift Distance: 10M
Speed Range: 2800R/MIN
Puming Capacity: 4.0L/MIN
No-Load Speed: 4500R/MIN
Rated Current: 10A

ITEM No	SIZE	QTY	G.W	CBM
064301	12V-25MM	6PCS	22	0.062

The Cutter Head Is Made Of Sk5 Material And The Handle Is Made Of Zinc Alloy, Which Is Lighter And More Convenient To Use.

ITEM No	SIZE	QTY	G.W	CBM
120507	9"	24	15.6	0.087
120508	15"	24	19.9	0.132

HAND OIL PUMP



Made Of High-level Carbon Steel, Beech Handle Is Smooth, Beautiful Appearance And Better Grip.

ITEM No	SIZE	QTY	G.W	CBM
064325	25MM	10	15	0.099
064332	32MM	10	16	0.111

ROLLER BRUSH



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
160101	7"	60	14.5	0.074
160102	9"	60	17	0.075

10PCSMINI ROLLER BRUSH



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
160205	4"/100MM	24	7	0.069

MINI ROLLER BRUSH



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
160105	4"	120	16.3	0.064

10PCS MINI ROLLER BRUSH



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
160201	4"	50	75	0.066

ROLLER BRUSH



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
160103	7"	60	13.7	0.074
160104	9"	60	15.6	0.075

8PCS ROLLER BRUSH



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
160203	9"	8SETS	8	0.085

10PCS MINI ROLLER BRUSH (With rod)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
160202	4"	24	6	0.048

AIR SPRAY GUN (400ML)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120401	1.5MM	30	16.7	0.085

AIR SPRAY GUN (750ML)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120402	1.5MM	30	18.8	0.1

AIR SPRAY GUN (600ML)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120403	1.4MM	30	16.2	0.11

AIR SPRAY GUN (600ML)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120404	1.4MM	20	14.7	0.08

AIR SPRAY GUN (600CC)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120405	1.5MM	20	15	0.074

AIR SPRAY GUN (750CC)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120406	1.5MM	20	16	0.074

AIR SPRAY GUN (100CC)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120407	0.5MM	40	22	0.057

AIR SPRAY GUN (1000CC)



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120408	1.8MM	12	9	0.05

BLENDER



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
120801	MEDIUM	12	16.5	0.11

STAPLE GUN (Plastics)



CR-V
Material

High Level Steel, Comfortable Handle, can Send And Receive Freely, Never Stuck Nails.

ITEM No	SIZE	QTY	G.W	CBM
120204	1 WAY	40	17.5	0.037

HEAVY DUTY 4 WAY STAPLE GUN (4 WAY IN 1)



CR-V
Material

High Level Steel, Comfortable Handle, can Send And Receive Freely, Never Stuck Nails.

ITEM No	SIZE	QTY	G.W	CBM
120201	4 WAY IN 1	24	18	0.04

STAPLE GUN (1 WAY)



CR-V
Material

High Level Steel, Comfortable Handle, can Send And Receive Freely, Never Stuck Nails.

ITEM No	SIZE	QTY	G.W	CBM
120202	1 WAY	40	17.5	0.037

HEAVY DUTY 4 WAY STAPLE GUN (4 WAY IN 1)



CR-V
Material

ITEM No	SIZE	QTY	G.W	CBM
120203	4 WAY IN 1	24	23	0.054

MODULAR CRIMPING



IND
INDUSTRIAL

ITEM No	SIZE	QTY	G.W	CBM
040401	7"/175MM	50	22	0.045

G-CLAMP



CR-V
Material

High Level Steel Manufacturing, Handle Feel Comfortable, Effectively Improve Service Life, Save Working Time.

ITEM No	SIZE	QTY	G.W	CBM
011702	2"	120	24.9	0.0199
011703	3"	36	18	0.02
011704	4"	36	24.5	0.02
011705	5"	24	21.5	0.02
011706	6"	18	21.6	0.0216

QUICK RATCHET BAR CLAMP



ITEM No	SIZE	QTY	G.W	CBM
012106	6"X63MM	24	15	0.033
012112	12"X63MM	24	16	0.046
012118	18"X63MM	24	17	0.06
012124	24"/175MM	12	15	0.037

SPRING CLAMP



ITEM No	SIZE	QTY	G.W	CBM
012204	4"/100MM	200	16	0.038
012206	6"/150MM	120	15	0.079
012209	9"/255MM	120	17	0.01

SHOVEL (110404)



ITEM No	SIZE	QTY	G.W	CBM
110404	1.6M	6	14	0.015

SHOVEL (110401)



ITEM No	SIZE	QTY	G.W	CBM
110401	1.1M	6	12	0.01

SHOVEL (110402)



ITEM No	SIZE	QTY	G.W	CBM
110402	1.1M	6	13	0.01

SHOVEL (110403)



ITEM No	SIZE	QTY	G.W	CBM
110403	1.6M	6	13	0.013

CHALK LINE REEL



Length: 30m With 1pc Spirit Bubble
With 1bottle Chalk 115g.

ITEM No	SIZE	QTY	G.W	CBM
051501	3PCS	48	11	0.08

CLEANING SCRAPER



ITEM No	SIZE	QTY	G.W	CBM
050901	18X100MM	144	17	0.069

WATERPROOF TAPE



Industrial-grade Quality, Accurate Scale, Easy To Use.

ITEM No	SIZE	QTY	G.W	CBM
121001	1.5MMX50MMX10M	24	23.5	0.043
121002	1.5MMX75MMX10M	16	23.8	0.043


TILE CUTTER



Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
101901	400MM	4	26.2	0.014
101902	600MM	2	16.9	0.0927
101903	800MM	2	20.5	0.115

GATE ROLLER



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cntrls Indivisible Material, no Distortion,high Precision.

ITEM No	SIZE	QTY	G.W	CBM
130201	50MM	80	21	0.006
130202	60MM	60	24	0.007
130203	70MM	36	23	0.008
130204	80MM	30	24	0.009

SHOVEL HEAD



ITEM No	SIZE	QTY	G.W	CBM
110405	1KG	12	13	0.01

HAND SPRAYER



ITEM No	SIZE	QTY	G.W	CBM
110701	16L	1	2.5	0.036

TEETH RAKE



It is Suitable for Loosening Soil, Weeding, and Raking the Ground in Larg Areas.

ITEM No	SIZE	QTY	G.W	CBM
110802	12 TEETH	24	13	0.029
110803	14 TEETH	24	15	0.033

WHEEL BARROW



ITEM No	SIZE	QTY	G.W	CBM
051801	65L	1	17	0.034

FLAMETHROWER (Triceps)



ITEM No	SIZE	QTY	G.W	CBM
141401	3PCS	12	15	0.067

FLAMETHROWER (Double headed)



ITEM No	SIZE	QTY	G.W	CBM
141402	3PCS	12	10.2	0.036

TOOL BOX



Brand New Abs Plastic Toolbox, Better Load-Bearing Effect, Durable.

ITEM No	SIZE	QTY	G.W	CBM
150101	14"	20	17	0.17
150102	17"	12	16.5	0.21
150103	20"	6	13.5	0.19
150104	24"	2	8	0.12

TOOL BOX




Industrial Grade Iron Sheet Tool Box, the Surface is Sprayed With Rust Proof Paint, Handle TPR Package, more Comfortable Grip.

ITEM No	SIZE	QTY	G.W	CBM
150105	430MM	4	13.2	0.0973
150106	530MM	4	15.2	0.12

CAR REPAIRING LIE BOARD



ITEM No	SIZE	QTY	G.W	CBM
064501	40"	1	3.8	0.045



IRON PADLOCK



IRON

ITEM No	SIZE	QTY	G.W	CBM
190102	32MM	120	12.5	0.009
190103	38MM	120	18.9	0.012
190104	50MM	60	18.5	0.012
190105	63MM	36	19	0.011
190106	75MM	24	17.9	0.01

BRASS PADLOCK



ITEM No	SIZE	QTY	G.W	CBM
190202	262 25MM	120	10.6	0.035
190203	263 30MM	120	14.5	0.035
190204	264 40MM	60	22.2	0.038
190205	265 50MM	36	18.8	0.028
190206	266 63MM	24	14.5	0.018

HYDRAULIC JACK



CR-V
Material

Made Of High Level Carbon Steel. It Can Be Lifted And Lowered Freely To Protect Human Body, Safe And Durable Applicable To Lifting Automotive, Vehicles And So On With Good Performance.

ITEM No	SIZE	QTY	G.W	CBM
064203	3T	10	23	0.029
064204	5T	5	13.6	0.017
064205	10T	5	19.7	0.023
064206	16T	4	25.4	0.028
064207	20T	2	15.4	0.015
064208	32T	2	20.3	0.019
064209	50T	1	18.8	0.01

SAFETY LADDER



ITEM No	SIZE	QTY	G.W	CBM
141702	2 STEPS	4	18.5	0.124
141703	3 STEPS	4	25.5	0.158
141704	4 STEPS	4	33	0.191
141705	5 STEPS	2	20.5	0.11
141706	6 STEPS	2	24	0.126

HORIZONTAL JACK



CR-V
Material

Rising Range 130 - 300MM
Rising Range 133 - 465MM

ITEM No	SIZE	QTY	G.W	CBM
064201	2T	1	7	0.0126
064201	3T	1	24	0.055

JACKS STAND



ITEM No	SIZE	QTY	G.W	CBM
064210	3T	4	21	0.068
064211	6T	4	20	0.07

HINGE



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Controls Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
130301	4"3"2"	60	19	0.0355
130302	5"3"2.5"	60	28.5	0.0355

BOOSTER CABLE



ITEM No	SIZE	QTY	G.W	CBM
064601	500AMP	10	11.6	0.029
064602	800AMP	10	20.8	0.05

RATCHET TIE DOWN STRAP



ITEM No	SIZE	QTY	G.W	CBM
150401	2"/50MM*10M	10 SETS	20	0.042

TIRE PRESSURE GUN



This Tire Inflator Has A Large 2 Reader Dial That Goes Up To 220 Psi.the Dual Chuck Head Design Is Perfect For Reaching Stems On Inner Dually Wheels It Has A Palm Grip Paddle.

ITEM No	SIZE	QTY	G.W	CBM
063501	16KGS	50	20.8	0.106

TIRE PRESSURE GUN (Oil dial)



This Tire Inflator Has A Large 2 Reader Dial That Goes Up To 220 Psi.the Dual Chuck Head Design Is Perfect For Reaching Stems On Inner Dually Wheels It Has A Palm Grip Paddle.

ITEM No	SIZE	QTY	G.W	CBM
063502	18KGS	40	23	0.084

PALLET SCALE



Industrial - Grade Quality, Accurate Scale, Easy to Use.

ITEM No	SIZE	QTY	G.W	CBM
081101	10KGS	12	19	0.012
081102	20KGS	6	14	0.68

HANGING SCALE



Operating Pressurc Nail Loading Capacity: 100PCS
4 - 8BAR (60 - 120) PSI Max Pressure: 8.3BAR (120PCS)

ITEM No	SIZE	QTY	G.W	CBM
081103	100KGS	10	11	0.047



WOOD CHISEL



Made of CR-V steel, the head hardness can reach 50HRC, which is hard and durable. The handle TPR + PVC is antiskid and anti fatigue, which can effectively improve the work efficiency and save time.

ITEM No	SIZE	QTY	G.W	CBM
051306	6MM	72	14.5	0.056
051312	12MM	72	16	0.056
051316	16MM	72	18	0.056
051319	19MM	72	18.5	0.056
051325	25MM	72	20.5	0.056
051332	32MM	72	22.7	0.056
051338	38MM	72	25	0.056

WOOD FILE



High level steel manufacturing, handle feel comfortable, effectively improve service life, save working time.

ITEM No	SIZE	QTY	G.W	CBM
100401	HALF ROUND/8"	96	23	0.066
100402	FIAT/8"	96	22	0.066
100403	ROUND/8"	96	17	0.066

STEEL FILE



High level steel manufacturing, handle feel comfortable, effectively improve service life, save working time.

ITEM No	SIZE	QTY	G.W	CBM
100404	HALF ROUND/8"	96	22	0.066
100405	FIAT/8"	96	22.2	0.066
100406	ROUND/8"	96	15.8	0.066

4PCS WOOD CHISEL



Made of CR-V steel, the head hardness can reach 50HRC, which is hard and durable. The handle TPR + PVC is antiskid and anti fatigue, which can effectively improve the work efficiency and save time.

ITEM No	SIZE	QTY	G.W	CBM
051301	6/ 12/ 19/ 25MM	24	21	0.05

3PCS WOOD FILE



High level steel manufacturing, handle feel comfortable, effectively improve service life, save working time.

ITEM No	SIZE	QTY	G.W	CBM
100408	8"/200MM	40	24	0.06

3PCS STEEL FILE



High level steel manufacturing, handle feel comfortable, effectively improve service life, save working time.

ITEM No	SIZE	QTY	G.W	CBM
100407	8"/200MM	40	23.5	0.06

WOODEN TROWEL



The handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
050601	280*120*0.7	60	21.5	0.08

WOODEN TROWEL (Toothed)



The handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
050602	280*120*0.7	60	21.5	0.08

PLASTERING TROWEL



Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
050603	130*300*0.7	60	24	0.01

PLASTERING TROWEL (Toothed)



Made of stainless steel, the handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
050604	130*300*0.7	60	24	0.01

PLASTERING TROWEL (Plastic Handle)



The handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
050605	280*120*0.7	60	19	0.084

PLASTERING TROWEL (Plastic handle with teeth)



The handle is antiskid and anti fatigue, which can effectively improve the working efficiency.

ITEM No	SIZE	QTY	G.W	CBM
050606	280*120*0.8	60	18	0.084

PAINT BRASH (Plastic Handle)



ITEM No	SIZE	QTY	G.W	CBM
160301	1"	600	20	0.05
160315	1.5"	360	15	0.063
160302	2"	360	18	0.06
160325	2.5"	300	15	0.06
160303	3"	240	23	0.06
160304	4"	120	18	0.06

PAINT BRASH



ITEM No	SIZE	QTY	G.W	CBM
160401	1"	600	22	0.05
160415	1.5"	360	17	0.063
160402	2"	360	20	0.06
160425	2.5"	300	17	0.06
160403	3"	240	25	0.06
160404	4"	120	20	0.06

BRICKLAYING TROWEL (Square)



Made of high-level carbon steel, beech handle is smooth, beautiful appearance and better grip.

ITEM No	SIZE	QTY	G.W	CBM
050813	160MM 6"	48	14	0.056
050814	180MM 7"	48	15.3	0.056
050815	200MM 8"	48	17	0.056
050816	220MM 9"	48	19.2	0.056

BRICKLAYING TROWEL (Double Circle)



Made of high-level carbon steel, beech handle is smooth, beautiful appearance and better grip.

ITEM NO	SIZE	QTY	G.W	CBM
050801	160MM 6"	48	10.5	0.036
050802	180MM 7"	48	11	0.036
050803	200MM 8"	48	12.5	0.036
050804	220MM 9"	48	13	0.036

BRICKLAYING TROWEL (Pointed)



Made of high-level carbon steel, beech handle is smooth, beautiful appearance and better grip.

ITEM NO	SIZE	QTY	G.W	CBM
050805	160MM 6"	48	13	0.026
050806	180MM 7"	48	15	0.034
050807	200MM 8"	48	17	0.038
050808	220MM 9"	48	18	0.044

BRICKLAYING TROWEL (Round/ Square)



Made of high-level carbon steel, beech handle is smooth, beautiful appearance and better grip.

ITEM NO	SIZE	QTY	G.W	CBM
050809	160MM 6"	48	11.5	0.049
050810	180MM 7"	48	12.3	0.049
050811	200MM 8"	48	13.5	0.049
050812	220MM 9"	48	14.5	0.049

PUTTY KNIFE (Wooden Handle)



Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency.

ITEM NO	SIZE	QTY	G.W	CBM
050712	2"	240	18.5	0.025
050713	2.5"	240	19	0.025
050714	3"	240	20	0.03
050716	4"	240	24.5	0.04
050717	5"	240	26	0.04
050718	6"	240	29	0.0413

PUTTY KNIFE (Plastic Handle)



Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency.

ITEM NO	SIZE	QTY	G.W	CBM
050703	2"	240	21	0.048
050704	2.5"	240	22	0.048
050705	3"	240	23.5	0.048
050707	4"	240	26	0.058
050708	5"	240	29	0.058
050709	6"	240	31.5	0.068

SCRAPER



Made Of Stainless Steel, The Handle Is Antiskid And Anti Fatigue, Which Can Effectively Improve The Working Efficiency.

ITEM NO	SIZE	QTY	G.W	CBM
050719	100MM	96	12	0.035
050720	120MM	96	12.8	0.035
050721	140MM	96	13.6	0.04
050722	160MM	96	15.2	0.046
050723	180MM	96	16	0.053
050724	200MM	96	17.6	0.057
050725	220MM	96	18.2	0.062
050726	240MM	96	20.8	0.073

SOLDERING IRON (30/40/60)



All Copper Body Hot Melt Glue Gun. It Has Reached The Special Level, The Temperature Resistance Effect Is More Durable, And The Continuous Working Time Is Longe.

ITEM No	SIZE	QTY	G.W	CBM
040601	30W	100	18.2	0.11
040602	40W	100	18.7	0.11
040603	60W	100	19.3	0.11

SOLDERING IRON



80W

[1] The Soldering Gun Is Designed With A Lightweight Mechanism, Which Makes The Work Easier.
 [2] High Quality Heating Core, Long Working Life
 [3] Simple Operation, Easy To Complete Welding Work.

ITEM No	SIZE	QTY	G.W	CBM
040604	0.8 - 2MM/80W	48	17.5	0.02

GLUE GUN (110W)



All copper body hot melt glue gun. It has reached the special level, the temperature resistance effect is more durable, and the continuous working time is longe.

ITEM No	SIZE	QTY	G.W	CBM
040502	110W	36	16.5	0.133

GLUE GUN (20W)



All copper body hot melt glue gun. It has reached the special level, the temperature resistance effect is more durable, and the continuous working time is longe.

ITEM No	SIZE	QTY	G.W	CBM
040503	20W	48	11.2	0.09

DIGITAL MULTIMETER(750W)



Transistor Test: Yes
 Diode Test: Yes
 Power: 9V BATTERY
 AC Voltage: 220V - 750V
 DC Current: 200uA - 10A
 Max. Display: 1999
 LCD Display Size: 16MM*48MM
 Product Size: 126MM*70MM*24MM
 Resistance: 200 Ω - 2000K Ω

ITEM No	SIZE	QTY	G.W	CBM
041001	750W	30	6	0.03

GLUE GUN (100W)



All copper body hot melt glue gun. It has reached the special level, the temperature resistance effect is more durable, and the continuous working time is longe.

ITEM No	SIZE	QTY	G.W	CBM
040501	100W	48	17	0.14

GLUE STICK



All copper body hot melt glue gun. It has reached the special level, the temperature resistance effect is more durable, and the continuous working time is longe.

ITEM No	SIZE	QTY	G.W	CBM
041101	11*200MM	50	12	0.033

ELECTRIC WELDING PLIERS



ITEM No	SIZE	QTY	G.W	CBM
140102	300A	48	17	0.03
140103	500A	36	18	0.034
140104	800A	36	20	0.04

ELECTRIC WELDING PLIERS



Impact To Prevent Painting Jumping
Sturdy and Durable Faster, Smoother
Controls Indivisible Material, No
Distortion, High Precision.

ITEM No	SIZE	QTY	G.W	CBM
140101	500 - 800A	30	17	0.041

CRIMPED CUP BRUSH (M14)



Easy And Smooth Cutting Long Lifespan And Stable
Performance The Blade With Insert Lock Can Avoid. It
is Safer Than Other Kinds Of Grass Cutting Saw Blades.

ITEM No	SIZE	QTY	G.W	CBM
130607	3"/75MM	48	12	0.041
130608	4"/100MM	48	22	0.046
130609	5"/125MM	24	15	0.07

KNOTTED CUP BRUSH (M14)



Easy And Smooth Cutting Long Lifespan And Stable
Performance The Blade With Insert Lock Can Avoid. It
is Safer Than Other Kinds Of Grass Cutting Saw Blades.

ITEM No	SIZE	QTY	G.W	CBM
130602	3"/75MM	48	14.5	0.044
130603	4"/100MM	48	24.5	0.077
130604	5"/125MM	24	17	0.074

WIRE BRUSH



High quality steel wire, 12 wire group, 15 rows, 1 row,
6 groups.

ITEM No	SIZE	QTY	G.W	CBM
130801	10.5"/263MM	96	16.8	0.053

KNIFE BRUSH



Characteristics: strong Cleaning Of Welding Slag,
Rust, wood Residue, paint And Heavy Stains, etc. also
Suitable For Surface Polishing Of Certain Objects.

ITEM No	SIZE	QTY	G.W	CBM
130901	9.5"/238MM	72	17	0.049

GLOVES (55G)



Fully Knitted Gloves, Glue On The Back Of The Hand,
Anti Slip And Durable, To Prevent Hand Stabbing.

ITEM No	SIZE	QTY	G.W	CBM
140801	10"/250MM	240	16.7	0.068

GLOVES



AB grade split shoulder cowhide is heat-resistant and
wear-resistant, which can effectively prevent sparks
and wear and scald, and has a good protective effect.

ITEM No	SIZE	QTY	G.W	CBM
140802	10"/250MM	120	14.5	0.049

GLOVES



AB grade split shoulder cowhide is heat-resistant and
wear-resistant, which can effectively prevent sparks
and wear and scald, and has a good protective effect.

ITEM No	SIZE	QTY	G.W	CBM
140803	10"/250MM	240	13.5	0.068

LEATHER GLOVES



1. Safety Protection 2. Comfortable And Breathable 3. Reinforcement By Adding Brackets.

ITEM No	SIZE	QTY	G.W	CBM
140701	10.5"/265MM	120PAIR	31	0.067

SOLDERING IRON GLOVES



1. High Temperature Resistant, Soft And Comfortable.
2. Heat Insulation, Oil Drainage, Anti-skid And Wear-resistant.

ITEM No	SIZE	QTY	G.W	CBM
140702	14"/350MM	72PAIR	25	0.067

GLOVES (Skin)



ITEM No	SIZE	QTY	G.W	CBM
140402	14"/240G	72	14.5	0.0529

JACKET



Material: Poly Cotton.
Feature: ECO - Friendl, Breathable, Anti - Oilling, Anti - Shrink, Washing and Rubbing Resistant, Customed, ETC
Decoration: Revers and Multi Function Pockets
Fasterner: High Quality Zipper in the Front, Closed by Snap Button 80% Polyester 20% Cotton.

ITEM No	SIZE	QTY	G.W	CBM
140601	M	12	11	0.0403
140602	L	12	11	0.0403
140603	XL	12	11	0.0403
140604	XXL	12	11	0.0403

COVERALL



Material: Poly Cotton.
Feature: ECO - Friendl, Breathable, Anti - Oilling, Anti - Shrink, Washing and Rubbing Resistant, Customed, ETC
Decoration: Revers and Multi Function Pockets
Fasterner: High Quality Zipper in the Front, Closed by Snap Button 80% Polyester 20% Cotton.

ITEM No	SIZE	QTY	G.W	CBM
140501	M	12	10	0.0418
140502	L	12	10	0.0418
140503	XL	12	10	0.0418
140504	XXL	12	10	0.0418

PANTS



Material: Poly Cotton.
Feature: ECO - Friendl, Breathable, Anti - Oilling, Anti - Shrink, Washing and Rubbing Resistant, Customed, ETC
Decoration: Revers and Multi Function Pockets
Fasterner: High Quality Zipper in the Front, Closed by Snap Button 80% Polyester 20% Cotton.

ITEM No	SIZE	QTY	G.W	CBM
140606	M	12	10	0.0378
140607	L	12	10	0.0378
140608	XL	12	10	0.0378
140609	XXL	12	10	0.0378

SAFETY BOOTS (High gang)



The upper is made of cow leather, and the sole is antiskid, acid resistant and high temperature resistant, which can effectively protect the shoe.

ITEM No	SIZE	QTY	G.W	CBM
141139	39	10	15	0.077
141140	40	10	15.5	0.077
141140	41	10	16.3	0.087
141142	42	10	16.8	0.087
141143	43	10	17.2	0.088
141144	44	10	18.5	0.111
141145	45	10	19	0.111

STEEL CUTTING DISC



The Cutting Times Are Higher Than That Of Similar Products, And The Service Life Is Longer Used Range: available For Cutting Microlite, steel, tile, concrete, granite, marble And Stainless Steel.

ITEM No	SIZE	QTY	G.W	CBM
130401	4"X1.2X16	800	20.6	0.02
130402	4.5"X1.2X22.23	600	18	0.018
130408	4.5"X1.2X22.23	600	20.4	0.022
130403	7"X3.0X22.23	100	17.8	0.016
130406	7"X1.6X22.23	200	18	0.018
130404	9"X3.0X22.23	50	15.5	0.014
130407	9"X2.0X22.23	50	12	0.012
130405	14"X1.6X22.23	25	17.5	0.016

STEEL CUTTING DISC



Built - in Reinforced Mesh Design and Selection of High-Quality Resin, Both Sharp and Durable, Not Easy to lose sand.

ITEM No	SIZE	QTY	G.W	CBM
130410	4"X1.2X16	800	20.8	0.02
130411	4.5"X1.2X22.23	600	18	0.018
130412	7"X3.0X22.23	100	17.8	0.016
130413	9"X3.0X22.23	50	15.5	0.014

GRINDING DISC



The Cutting Times Are Higher Than That Of Similar Products, And The Service Life Is Longer Used Range: available For Cutting Microlite, steel, tile, concrete, granite, marble And Stainless Steel

ITEM No	SIZE	QTY	G.W	CBM
130101	4"X6.0X16	150	17	0.015
130102	4.5"X6.0X22.23	100	15.3	0.014
130103	7"X6.0X22.23	50	19	0.015
130104	9"X6.0X22.23	40	25	0.025

FLAP DISC



ITEM No	SIZE	QTY	G.W	CBM
130501	4"100XP40	240	14.8	0.043
130502	4"100XP60	240	14	0.043
130503	4"100XP80	240	13.3	0.043
130504	4"100XP100	240	12	0.043
130505	4"100XP120	240	11.8	0.043
130510	4"115XP40	240	19.6	0.04
130511	4"115XP60	240	18.5	0.04
130512	4"115XP80	240	17	0.04
130513	4"115XP100	240	16.1	0.04
130514	4"115XP120	240	15.3	0.04

TCT SAW BLADE



Easy And Smooth Cutting Long Lifespan And Stable Performance The Blade With Insert Lock Can Avoid it Is Safer Than Other Kinds Of P80 Cutting Saw Blades.

ITEM No	SIZE	QTY	G.W	CBM
101101	4"105MM*30T	100	10.5	0.021
101102	4.5"115MM*30T	100	11	0.021
101103	7"180MM*40T	50	15	0.019
101104	7"180MM*60T	50	15.5	0.019
101105	9"230MM*40T	25	15	0.014
101106	9"230MM*60T	25	15.5	0.014

TCT SAW BLADE



ITEM No	SIZE	QTY	G.W	CBM
101107	254*60T	25	19.3	0.02
101108	254*100T	25	22	0.02



DIAMOND CUTTING DISC



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, No Distortion, High Precision.

ITEM No	SIZE	QTY	G.W	CBM
101801	4"/110MM*7MM	100	12.5	0.02
101802	4.5"/115MM*7MM	100	13.2	0.02
101803	7"/180MM*7MM	50	19.8	0.023
101804	9"/230MM*7MM	24	18	0.018

DIAMOND CUTTING DISC



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, No Distortion, High Precision.

ITEM No	SIZE	QTY	G.W	CBM
101805	105*7*20MM	100	12.4	0.02
101806	115*7*22.23MM	100	13.2	0.02
101807	180*7*22.23MM	50	19.7	0.024
101808	230*7*22.23MM	24	18	0.018

DIAMOND CUTTING DISC



ITEM No	SIZE	QTY	G.W	CBM
101815	115*10*22.23MM	100	15	0.02
101817	230*10*22.23MM	24	21	0.018

SUPER THIN DIAMOND CUTTING DISC



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
101813	4"/105MM*20MM	100	8.5	0.02
101814	4.5"/115MM*22.23MM	100	10	0.02

DIAMOND GRINDING WHEEL



Impact To Prevent Painting Jumping Sturdy And Durable Faster. Smoother Cintrols Indivisible Material, no Distortion, high Precision.

ITEM No	SIZE	QTY	G.W	CBM
131015	115*22.23*20*55MM	20	8	0.01

HOLE SAW SET



19/ 22/ 32
38/ 44/ 51
64MM

ITEM No	SIZE	QTY	G.W	CBM
103102	11PCS	20	10.4	0.023

HOLE SAW SET



19/ 22/ 29/ 32
38/ 44/ 51/ 64
76/ 89/ 102
127MM

ITEM No	SIZE	QTY	G.W	CBM
103103	16PCS	20	22.3	0.035

M2 HSS TWIST DRILL BIT SPLIT POINT



YG8

High Quality Tct Tip, chrome Alloy Steel Sds Plus Shank, double Flute Sand Blasting Finishing Packed By Plasticc Hanger.

ITEM No	SIZE	QTY	G.W	CBM
102001	2PCS/1.0X34MM	500	3.5	0.027
102002	2PCS/1.5X40MM	500	4	0.028
102003	2PCS/2X49MM	500	4.5	0.028
102004	2PCS/2.5X57MM	500	5	0.028
102005	2PCS/3X61MM	500	6	0.028
102006	3.2X65	500	5	0.029
102007	3.5X70	500	5.3	0.025
102008	4.0X75MM	500	6.2	0.0285
102009	4.2X75MM	500	6.6	0.028
102010	4.5X80MM	500	7.2	0.029
102011	4.8X86MM	500	8	0.029
102012	5.0X86MM	500	8.4	0.029
102013	5.5X86MM	500	9.9	0.029
102014	6.0X93MM	500	10.9	0.029
102015	6.5X101MM	200	6	0.028
102016	7.0X109MM	200	7	0.027
102017	7.5X109MM	200	7.3	0.027
102018	8.0X117MM	200	8.7	0.027
102019	8.5X117MM	200	9.6	0.027
102020	9.0X125MM	200	11.2	0.027
102021	9.5X125MM	200	11.9	0.027
102022	10X133MM	200	13.7	0.027
102023	10.5X133MM	200	14.7	0.027
102024	11X142MM	200	16.9	0.027
102025	11.5X142MM	200	18.3	0.027
102026	12.0X151MM	200	20.9	0.027
102027	12.5X151MM	200	22.2	0.027
102028	13X151MM	200	24	0.027

HSS TWIST DRILL BITS



6PCS

Twist Drill Bits Are Probably The Most Common Drill Tools Used Bu The They Can Be Used On Metal Timber, plastics And Similar Materials.

ITEM No	SIZE	QTY	G.W	CBM
102401	2/ 3/ 4/ 5/ 6/ 8MM	80	10.2	0.026

HSS TWIST DRILL BITS (8PCS)



Twist Drill Bits Are Probably The Most Common Drill Tools Used Bu The They Can Be Used On Metal Timber, plastics And Similar Materials.

ITEM No	SIZE	QTY	G.W	CBM
102402	3/4/5/6/7/8/9/10MM	48	14.2	0.026

19PCS DRILL BIT SET



ITEM No	SIZE	QTY	G.W	CBM
102403	19PCS	32	16	0.026

HSS STEPPED DRILL



HSS STEPPED DRILL

ITEM No	SIZE	QTY	G.W	CBM
103312	4 - 12MM	300	18	0.01
103320	4 - 20MM	200	17	0.01
103332	4 - 32MM	100	16	0.01

3PCS HSS STEP DRILL BIT SET



Cutting Iron Like Mud, Industrial Grade Step Drill.

ITEM No	SIZE	QTY	G.W	CBM
102410	4 - 32MM	50	14	0.038

SDS PLUS HAMMER DRILL BIT



YG8

High Quality Tct Tip.chrome Alloy Steel Sds Plus Shank, double Flute Sand Blasting Finishing Packed By Plastic Hanger.

ITEM No	SIZE	QTY	G.W	CBM
101402	6*110MM	500	21.2	0.024
101407	6*160MM	500	25	0.027
101403	7*110MM	500	25	0.0245
101408	7*160MM	400	22	0.0245
101409	8*160MM	400	24.2	0.0245
101410	10*160MM	240	17.7	0.015
101411	12*160MM	240	20	0.015

MASONRY DRILL



Processed With Good Alloys As Raw Materials, After High Temperature Quenching The Hardness Is Greatly Improved, With Higher Wear Resistance And Strength.

ITEM No	SIZE	QTY	G.W	CBM
102303	3MM	800	5	0.021
102304	4MM	800	12	0.021
102305	5MM	800	13	0.021
102306	6MM	600	18.5	0.021
102307	7MM	600	19	0.021
102308	8MM	500	19	0.021
102309	9MM	500	21.5	0.021
102310	10MM	500	21.5	0.021
102312	12MM	260	21	0.021

5PCS SDS DRILL BITS SET



YG8

6/7/8/10MM 12X160MM

Sand Blasting Finishing It Is Strong And Durable. It Is Made Of High Quality Black Steel. After High Temperature Quenching, Its Hardness Is Greatly.

ITEM No	SIZE	QTY	G.W	CBM
102406	5PCS	60SETS	20	0.017

FLAT WOOD DRILL



ITEM No	SIZE	QTY	G.W	CBM
103210	10MM	400	21	0.044
103212	12MM	400	21.2	0.044
103214	14MM	400	22	0.044
103218	18MM	400	22.6	0.044
103220	20MM	400	22.6	0.044
103222	22MM	400	23.6	0.044
103225	25MM	400	24.6	0.044
103226	26MM	400	25.6	0.044
103228	28MM	400	26.6	0.044

6PCS FLAT WOOD DRILL



10MM/12MM/16MM/18MM/22MM/25MM

ITEM No	SIZE	QTY	G.W	CBM
103201	6PCS	80	18	0.047

FOUR SLOT WORKING DRILL



High Temperature Quenching Treatment is Durable Chips are Smooth and Light, and chip Removal is Smooth, High Efficiency.

ITEM No	SIZE	QTY	G.W	CBM
102718	18MM	240	20	0.015
102720	20MM	240	21	0.016
102722	22MM	240	22	0.017
102725	25MM	240	23	0.018

DIAMOND HOLE SAW



After The Electroplating Process, The Cutting Part Of The Cutting Edge Where The Gold Steel Grit Is Firmly Inlaid, With A Long Life And Durability.

ITEM No	SIZE	QTY	G.W	CBM
101510	10MM/2PCS	480	12.9	0.037
101512	12MM/2PCS	420	12.6	0.037
101514	14 MM/2PCS	360	14	0.037
101516	16MM/2PCS	300	13.8	0.037
101518	18MM	300	10.4	0.037
101520	20MM	300	10.8	0.037
101522	22MM	300	11.9	0.037
101525	25MM	216	10.1	0.037

TCT HOLE SAW



Made Of Cemented CarbideM 35 High Speed Steel Drill Bit.

ITEM No	SIZE	QTY	G.W	CBM
101620	20MM	200	26	0.0335
101625	25MM	200	28.6	0.0335
101630	30MM	200	32.1	0.0335
101635	35MM	120	23.9	0.035
101640	40MM	120	25.8	0.035
101650	50MM	60	17.5	0.044

TCT WOOD DRILL BIT



Applicable Materials: All Kinds Of Soft And Hard Wood Multi-layer Plywood, Composite Board, Plastic, Etc.

ITEM No	SIZE	QTY	G.W	CBM
101301	18MM	300	18.7	0.052
101302	19MM	300	18.9	0.052
101303	20MM	300	19.3	0.052
101304	22MM	300	20.1	0.052
101305	25MM	300	21.3	0.052
101306	30MM	240	25.9	0.052
101307	32MM	240	26.5	0.052
101308	35MM	240	27.6	0.052

WET AND DRY DUAL USE STONE DRILLING



Applicable Materials: All Kinds Of Soft And Hard Wood Multi-layer Plywood, Composite Board, Plastic, Etc.

ITEM No	SIZE	QTY	G.W	CBM
102916	16*80MM	200	20.4	0.04
102920	20*80MM	200	26.4	0.04
102922	22*80MM	200	26.4	0.04
102925	25*80MM	200	20.8	0.04
102930	30*80MM	200	20.2	0.04
102940	40*80MM	100	15.4	0.04
102950	50*80MM	100	21.8	0.04
102960	60*80MM	80	27.6	0.04
102965	65*80MM	80	16.1	0.04

9PCS DRILL BIT SET



3PCS MASONRY DRILL BIT SET + 3PCS WOOD DRILL BIT SET + 3PCS HSS TWIST DRILL BIT SET

Twist Drill Bits are Probably the Most Common Drill Tools used by the They can be used on Metal Timber, Plastics and Similar Materials.

ITEM No	SIZE	QTY	G.W	CBM
102404	9PCS	60SETS	14.5	0.0248




THREE-TOOTH POSITIONING



DRILL THICK HARD AND EASY



APPLICABLE TO ALL KINDS OF WOOD



TCT WOOD DRILL BIT



IND INDUSTRIAL

ITEM No	SIZE	QTY	G.W	CBM
101314	35MM	240	27	0.52

TCT WOOD DRILL BIT



IND INDUSTRIAL

ITEM No	SIZE	QTY	G.W	CBM
101315	35MM	240	27	0.52

TCT WOOD DRILL BIT LONGER



Applicable Materials: All Kinds Of Soft And Hard Wood Multi-layer Plywood, Composite Board, Plastic, Etc.

ITEM No	101218	101219	101220	101222	101225	101230	101232	101235
SIZE	18MM	19MM	20MM	22MM	25MM	30MM	32MM	35MM

5PC AUGER BIT SET



IND INDUSTRIAL

ITEM No	SIZE	QTY	G.W	CBM
102701	10, 13, 16, 19, 25MM	48	17	0.01

SDS PLUS POINT CHISEL



CR-V Material

Chrome Alloy Steel. Sand Blasting Finishing. Packed by Plastic Hanger

ITEM No	SIZE	QTY	G.W	CBM
051001	14*250MM+	80	20	0.015

SDS PLUS FIAT CHISEL



CR-V Material

Chrome Alloy Steel. Sand Blasting Finishing. Packed by Plastic Hanger

ITEM No	SIZE	QTY	G.W	CBM
051002	14*250MM+	80	21	0.015

3000
MORE THAN 3000 VARIETIES
UNIFIED PACKING WITH HIGH QUALITY

POWER TOOLS

ANGLE GRINDER (New 4 inch)



4"
850W

Disc Diameter: 100 MM
 Rated Input Power: 850W
 No-Load Speed: 11000R/MIN
 Rated Frequency: 50/60HZ
 Rated Voltage: 220-240V

ITEM No	SIZE	QTY	G.W	CBM
170105	100MM-850W	10	21	0.05

ANGLE GRINDER (New 4.5 inch)



4.5"
850W

Disc Diameter: 115 MM
 Rated Input Power: 850W
 No-Load Speed: 11000R/MIN
 Rated Frequency: 50/60HZ
 Rated Voltage: 220-240V-

ITEM No	SIZE	QTY	G.W	CBM
170106	115MM-850W	10	21	0.05

ANGLE GRINDER (100MM)



700W

Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 700W
 Blowing Rate: 11000R/MIN
 Motor: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170101	100MM/M10	10	23	0.0511

ANGLE GRINDER (115MM)



700W

Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 700W
 Blowing Rate: 11000R/MIN
 Motor: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170102	115MM/M14	10	24	0.053

ANGLE GRINDER (180MM)



200W

Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 2000W
 Blowing Rate: 8500R/MIN
 Motor: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170103	180MM/M14	4	16.5	0.04

ANGLE GRINDER (230MM)



2300W

Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 230W
 Blowing Rate: 6500R/MIN
 Motor: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170104	230MM/M14	2	13.3	0.031

ANGLE POLISHER (1400W)



Rated Power Output: 1400W
 No Load Speed: 900 -3800R/MIN
 Voltage Frequency: 220-240V
 Frequency: 50/60HZ
 Size: 180MM
 Spindle: M14

ITEM No	SIZE	QTY	G.W	CBM
171112	180MM/M14	4	16	0.037

ROTARY HAMMER (800W)



Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 800W
 No-load Speed: 5700R/MIN
 Optimum Drilling Range: 6 - 18 MM
 Impact Rated: 0 -5700/MM
 Max. Impact Rated: 1400BPM
 Impactenergy: 2.8J

ITEM No	SIZE	QTY	G.W	CBM
170902	26MM-800W	4SET	22	0.071

ANGLE GRINDER STAND



ITEM No	SIZE	QTY	G.W	CBM
180201	100125-MM	8PCS	23	0.044

ROTARY HAMMER (21V - 4.0 AH)



Voltage: 21V LI-ION
 Charge Time: 1.5 - 3 HRS
 Battery Capacity: 4.0AH
 Wood: 30MM
 Concrete: 20MM
 Impact Times: 0 - 4700 BPM
 No-load Speed: 0 - 1400RPM
 Steel: 13MM

ITEM No	SIZE	QTY	G.W	CBM
171406	21V - 4.0AH	4SETS	20	0.06

CORDLESS DRILL (12V)



Voltage: 12V MOTOR: 550# Max.torque: 21NM TORQUE
 Battery Volume: 2.0AH Setting 18+1 Chuck: 0.8-10MM
 No Loding Speed: 1300RPM Charging Time: 1.5HOUR

ITEM No	SIZE	QTY	G.W	CBM
171401	12V	8	9.6	0.024

CORDLESS DRILL (18V)



Voltage: 18V MOTOR: 550# Max.torque: 21NM TORQUE
 Battery Volume: 2.0AH Setting 18+ 1 Chuck: 0.8- 10MM
 No Loding Speed: 1300RPM Charging Time: 1.5HOUR

ITEM No	SIZE	QTY	G.W	CBM
171402	18V	5	16.5	0.04

LITHIUM BATTERY (12V - 2000 MAH)



Large capacity and durable battery
lifeSmart circuit protection,
Rest assured

ITEM No	SIZE	QTY	G.W	CBM
171401B	12V/2000mA	20	15	0.028

LITHIUM BATTERY (18V - 2000 MAH)



Large capacity and durable battery
lifeSmart circuit protection,
Rest assured

ITEM No	SIZE	QTY	G.W	CBM
171402B	18V/200mA	20	18	0.038

BATTERY CHARGER (12V - 1000 MAH)



ITEM No	SIZE	QTY	G.W	CBM
171401C	12V/1000mA	20	14	0.012

BATTERY CHARGER (18V - 1800 MAH)



ITEM No	SIZE	QTY	G.W	CBM
171402C	18V/1800mA	20	15	0.016

DEMOLITION HAMMER (1250W)



Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 1250W
 No-load Speed: 1200R/MIN
 Impactenergy: 4.5J
 Package: PLASTIC BOX

ITEM No	SIZE	QTY	G.W	CBM
170905	1250W/17MM	3	27	0.082

3IN 1 ROTARY HAMMER (1050W)



Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 1050W
 No-load Speed: 1100R/MIN
 Impactenergy: 4.5J
 Package: PLASTIC BOX

ITEM No	SIZE	QTY	G.W	CBM
170901	1050W/26MM	3	20.2	0.048

IMPACT DRILL (400W)



Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 400W
 Blowing Rate: 4300R/MIN
 Motor: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170203	400W/6MM	10	15.5	0.04

IMPACT DRILL (450W)



Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 450W
 Blowing Rate: 3300R/MIN
 Motor: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170204	450W/10MM	10	16.8	0.0397

IMPACT DRILL (710W)



Rated Voltage: 220-240V
 Rated Frequency: 50/60HZ
 Rated Input Power: 710W
 Blowing Rate: 2800R/MIN
 Motor: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170201	710W/13MM	6	14.4	0.0448

WISEUP®

ONE-STOP TOOL PURCHASE
WORK MORE AT EASE





WOOD CEMENT METAL

DRILL BIT CLAMPING RANGE
1.5~13MM



 Stainless steel chuck

 Forward and reverse

 Stainless steel gear

 Copper wire motor

 Impact function

 Pulse drilling function





**STAINLESS STEEL
DRILL CHUCK**

RECIPROCATING SAW (750W)



240V~, 50HZ, 1350W
 No-load Speed: 900-3300RPM
 Stroke: 20MM

Cutting Capacity
 Wood: 150MM
 Aluminium: 12MM
 Steel: 8MM

Tool Less Blade Clamp System, Tool Less Pivot Shoe Adjusting System.

ITEM No	SIZE	QTY	G.W	CBM
171004	150MM/750W	5	17	0.05

DEMOLITION HAMMER (1500W)



Rated Voltage: 220-240V
 Rated Frequency: 50/60Hz
 Rated Input Power: 1500W
 Max Impact Rated: 1900BPM

No-load Speed: 1400R/MIN
 Impactenergy: 4.5J
 Package: IRON BOX

ITEM No	SIZE	QTY	G.W	CBM
170906	1500W/30MM	1	21	0.055

DRILL CHUCK TYPE



WITH THREAD



10MM 0.6 - 10MM 3/8" - 24UNF
 13MM 1.5 - 13MM 1/2" - 20UNF

ITEM No	SIZE	QTY	G.W	CBM
180101	10MM	96	19.3	0.017
180102	13MM	48	16.1	0.015

DRILL CHUCK TYPE



WITHOUT THREAD



13MM 1.5 - 13MM B16
 16MM 3 - 16MM B16

ITEM No	SIZE	QTY	G.W	CBM
180103	13MM	48	15.6	0.015
180104	16MM	20	12.1	0.008

DRILL CHUCK KEY



10MM: 11 TEETH 20N/M L: 58MM
 13MM: 12 TEETH 25N/M L: 80MM
 16MM: 12 TEETH 30N/M L: 85MM

ITEM No	SIZE	QTY	G.W	CBM
180105	10MM	200	8.3	0.041
180106	13MM	200	12	0.041
180107	16MM	150	13	0.041

MITER SAW (1800W)



Blade Diameter: 255MM
 Rated Input Power: 1800W
 No-load Speed: 6000R/MIN
 Rated Voltage: 220-240V
 Rated Frequency: 50/60Hz
 Max Cutting Capacity(0°): 100*110MM(HxW)
 (45°): 100*85MM(HxW)
 Head Titting: (0°): 90*110MM(HxW)
 (45°): 40*86MM(HxW)

ITEM No	SIZE	QTY	G.W	CBM
170305	255MM	1	9	0.012

CUT OFF SAW (2500W) (NEW)



Blade Diameter: 355MM
 Input Voltage: 220-240V
 Rated Frequency: 50/60Hz
 Weight: 16KG
 Power: 2500W
 Speed: 3900/MM
 08MPA (100PSI)

ITEM No	SIZE	QTY	G.W	CBM
170308	355MM-2500W	1	16	0.07

ELECTRIC PLANER (580W)



Rated Frequency: 50Hz
 Rabbiting Depth: 0 - 10MM
 No-load Speed: 16500R/MIN
 TCT BLADE
 Input Power: 580W
 Planing Depth: 0 - 1MM
 Voltage/ Frequency: 220-240V

ITEM No	SIZE	QTY	G.W	CBM
172101	82MM*1MM	4PCS	15	0.045

ELECTRIC CHAIN SAW (2200W)



Rated Voltage: 220-240V
 Rated Frequency: 50/60Hz
 Rated Input Power: 2200W
 No-load Speed: 0-7000R/MIN
 Chain Speed: 800M/ MIN

ITEM No	SIZE	QTY	G.W	CBM
172016	16"/400MM	4PCS	24.5	0.076

MARBLE CUTTER (1380W)



Max. Cutting Thickness: 115MM Rated Frequency: 50/60Hz
 Rated Power Output: 1380W Adjustable: 0 - 45°
 Voltage Frequency: 220- 240V Rotating Speed: 13000R/MIN

ITEM No	SIZE	QTY	G.W	CBM
170310	115MM/ 1380W	4	15	0.044

CIRCULAR SAW (1400W)



Rotating Speed: 5000R/MIN
 Voltage: 220-240V
 Frequency: 50/60Hz
 Power: 1400W
 Motor: Copper

ITEM No	SIZE	QTY	G.W	CBM
170302	185MM/1400W	2	12.4	0.064

CIRCULAR SAW (2200W)



Rotating Speed: 5000R/MIN
 Voltage: 220- 240V
 Frequency: 50/60Hz
 Power: 2200W
 Motor: Copper

ITEM No	SIZE	QTY	G.W	CBM
170304	230MM/2200W	2	19	0.045

QUALITY ASSURANCE
WORK MORE AT EASE

SAVE TIME AND EFFORT
CONVENIENT

ONE-STOP TOOL PURCHASE
WORK MORE AT EASE

BENCH GRINDER (200W)



Power: 200W
 No-load Speed: 3450MIN
 Rated Voltage: 230-240V~

Rated Frequency: 50/60Hz
 Wheel Size: 150x16x12.7MM
 105W S1, 150W S2 30MIN

ITEM No	SIZE	QTY	G.W	CBM
171102	150MM	4	20	0.012

ROTARY SANDER (280W)



Input Power: 280W
 Sanding Pad: 125MM
 Voltage: 220-240V~
 Rated Frequency: 50/60Hz
 No-load Speed: 6000 - 12000RPM

ITEM No	SIZE	QTY	G.W	CBM
171106	125MM - 280W	4	7.5	0.012

ELECTRIC TRIMMER (550W)



Rated Input Power: 550W
 No-load Speed: 30000R/MIN
 Rated Voltage: 220-240V~
 Collet Capacity: 6MM
 Rated Frequency: 50/60Hz

ITEM No	SIZE	QTY	G.W	CBM
171601	6MM-550W	10	22	0.042

ROUTER MACHINE (750W)



Rated Input Power: 550W
 Rated Frequency: 50Hz
 Rated Power: 2200W
 Blade Diameter: 12MM
 Rated No-load Speed: 23500R/MIN

ITEM No	SIZE	QTY	G.W	CBM
171602	12MM-2200W	4	27	0.066

JIG SAW (750W)



Rated Voltage: 220-240V No-load Speed: 3100RPM
 Rated Frequency: 50/60Hz Package: Color BOX
 Input Power: 750W Size: 65MM

ITEM No	SIZE	QTY	G.W	CBM
171001	80MM/750W	5	12	0.027

ELECTRIC SPRAY GUN (800W)



Rated Voltage: 220-240V Max. Viscosity: 80DIN/ SEC
 Rated Frequency: 50/60Hz Max. Flow: 900ML/ MIN
 Input Power: 800W Cable Length: 2.0M
 Nozzle: ø 1.8/ 2.6MM (PLASTIC)

ITEM No	SIZE	QTY	G.W	CBM
120303	800W/800ML	4	11	0.07



ELECTRIC SPRAY GUN (110W)



Rated Voltage: 220-240V~
 Frequency: 50/60Hz
 Input Power: 110W
 Nozzle: \varnothing 0.8MM
 Max. Viscosity: 60DIN/ SEC
 Max. Flow: 300ML/ MIN
 Cable Length: 2.0M
 Paint Reservoir: 800ML

ITEM No	SIZE	QTY	G.W	CBM
120301	110W/800ML	5	10	0.048

ELECTRIC SPRAY GUN (400W)



Rated Voltage: 220-240V
 Frequency: 50/60Hz
 Input Power: 400W
 Paint Reservoir: 800ML

ITEM No	SIZE	QTY	G.W	CBM
120302	400W/800ML	6	11.25	0.055

HOT AIR GUN (2000W)



Voltage: 220-240V
 Frequency: 50/60Hz
 Power: 2000W
 Temperature: 350/ 550°C
 Package: Color BOX

ITEM No	SIZE	QTY	G.W	CBM
170401	2000W	10	9.8	0.069

HOT AIR GUN SET (2000W)



Voltage: 220-240V
 Frequency: 50/60Hz
 Power: 2000W
 Temperature: 350/ 550°C
 Package: Color BOX

ITEM No	SIZE	QTY	G.W	CBM
170402	2000W	5	7.5	0.04

AIR BRAD NAILER (F30)



Operating Pressurc: 4 - 7BAR (60 - 120) PSI
 Nail Loading Capacity: 100PCS
 Max Pressure: 8.3BAR (120PCS)

ITEM No	SIZE	QTY	G.W	CBM
121101	F30/ 4 - 7BAR	10	13	0.034

AIR BRAD NAILER (1013J)



Operating Pressurc: 4 - 8BAR(60 - 120) PSI
 Nail Loading Capacity: 100PCS
 Max Pressure: 8.3BAR (120PCS)

ITEM No	SIZE	QTY	G.W	CBM
121102	1013J-4 - 8BAR	10	10.5	0.026

GASOLINE BRUSH CUTTER (430CC)



Powerful motor, high efficiency, strong power. The fuselage is comfortable to grasp, the actual power is not falsely marked, industrial quality.

Displacment: 42.7CC Old/ Fuel Ratio: 1:25
 Rated Power: 1250W No load Speed: 7500MIN-1
 Capacity: 1200ML Cutting Dia.of Blad: 255MM
 Cutting Dia.of Line: 415MM Pole Diameter: 28MM

ITEM No	SIZE	QTY	G.W	CBM
170701	430CC	4	41.5	0.21

ELECTRIC MIXER (1400W)



Frequency: 50/60Hz Paddle: Single
 Mixing Diameter: 120MM Tool - Connection: M14
 No-load Speed: 900R/MIN Input Power: 1400W
 Whole Rod Length: 590MM Voltage: 220-240V

ITEM No	SIZE	QTY	G.W	CBM
171801	120MM-1400W	2PCS	11.5	0.05

CORDLESS BLOWER (21V-3.0AH)



Blowing Rate: 2.2 - 2.8M³/MIN
 Charge Time: 1.5 - 2HRS
 Voltage: 21V LI-ION
 Working Time: 25MIN (MAX AIR FLOW)
 Battery Capacity: 3.0AH



ITEM No	SIZE	QTY	G.W	CBM
171410	21V-3.0AH	6PCS	14	0.07

BLOWER (400W)



Power: 400W
 Voltage: 220-240V
 Frequency: 50-60Hz
 No-load Speed: 0-13000R/MIN
 Blowing Rate: 0.2 - 2.8M³/MIN
 Package: Color BOX



ITEM No	SIZE	QTY	G.W	CBM
170403	400W	8	12.9	0.075

BLOWER (650W)



Power: 650W
 Voltage: 220-240V
 Frequency: 50-60Hz
 No-load Speed: 3000 - 13000R/MIN
 Blowing Rate: 0.3 - 2.8M³/MIN
 Package: Color BOX



ITEM No	SIZE	QTY	G.W	CBM
170404	650W	4	12.7	0.098

HIGH PRESSURE WASHER (1400W)



Rated Input Voltage: 240V
 Frequency: 50Hz
 Motor Capacity: 1400W
 Working Pressure: 7MPa (70 BAR)
 Allowable Pressure: 10.5MPa (105 BAR)
 Working Flow Rate: 5.5L/MIN
 Package: Color BOX

ITEM No	SIZE	QTY	G.W	CBM
171301	1400W/70BAR	1	6.6	0.036

HIGH PRESSURE WASHER (1800W)



Voltage Frequency: 200V~/50Hz
 Motor Type: Brush Motor
 Input Power: 1800W
 Max Water Inlet Temperature C: 50C
 Working Pressure: 100 BAR/ 1500PSI
 Max Pressure: 90BAR/ 350PSI
 Max Flow: 468 LT/H
 Working Flow Rate: 360 LT/H

ITEM No	SIZE	QTY	G.W	CBM
171302	1800W/135BAR	1	10	0.077

PRESSURE CONTROL (12A)



Power Source: 220- 240V/50 -60HZ
 Max. current: 12a/1.5hp
 Pressure Setting: 1.42.8-bar/2.1 - 3.5bar/2.8- 4.3bar
 Screw Type: Internal Thread External Thread

ITEM No	SIZE	QTY	G.W	CBM
170822	12A/1.5HP	50	18.5	0.04

FLOAT SWITCH (16A)



Power Source: 220 - 240V/50 - 60HZ
 working Temperature: 55c
 protection Rating: ip65
 Max.current: 16 A

ITEM No	SIZE	QTY	G.W	CBM
170819	2M	20	14	0.045
170820	3M	20	15.5	0.047
170821	5M	20	19	0.045

WELDING MACHINE (160A)



Trpe: MMA -160A
 Pated Voltage: 220 - 240v
 Rated Frequency: 50- 60HZ
 Current: 160A@35%
 Current Adjustment: 10 - 160A
 Usable Electrode: 1.0 - 3.2MM
 Material: COPPER



ITEM No	SIZE	QTY	G.W	CBM
170501	MMA-160	1	4.2	0.02

WELDING MACHINE (200A)



Trpe: MMA-200A
 Pated Voltage: 220 -240V
 Rated Frequency: 50 - 60HZ
 Current: 200A@35%
 Current Adjustment: 10 - 200A
 Usable Electrode: 1.0 - 4MM
 Material: COPPER



ITEM No	SIZE	QTY	G.W	CBM
170502	MMA-200	1	4.7	0.02

WELDING MACHINE (250A)



Trpe: MMA-250A
 Pated Voltage: 220 -240V
 Rated Frequency: 50- 60HZ
 Current: 250a@60%
 Current Adjustment: 10 - 250A
 Usable Electrode: 1.6 - 5.0MM
 Material: COPPER



ITEM No	SIZE	QTY	G.W	CBM
170503	MMA-250	1	6.9	0.029

WELDING MACHINE (120A)



Rated Input Voltage: 220 - 240V
 Frequency: 50 - 60HZ
 Current Range: 20 - 120A
 Usable Electrode: 1.6 - 3.2MM
 Rated Duty: 30%
 Max. Crrent: 120A
 Weight: 3.15Kg
 Material: COPPER



ITEM No	SIZE	QTY	G.W	CBM
170500	MMA-120A	4	10	0.027

AIR COMPRESSOR (2.5HP/24L - 2000W)



Exhaust Volume: 0.11M Power: 2000W
 Weight: 23KG Speed: 2860R/MIN
 Tank Capacity: 24L Max. Pressure: 0.8MPA(100 PSI)

ITEM No	SIZE	QTY	G.W	CBM
170601	2.5HP/24L	1	24	0.086

AIR COMPRESSOR (3.0HP/50L - 2400W)



Exhaust Volume: 0.17M Power: 2400W
 Weight: 29KG Speed: 2860R/MIN
 Tank Capacity: 50L Max. Pressure: 0.8MPA(100 PSI)

ITEM No	SIZE	QTY	G.W	CBM
170602	3.0HP/50L	1	30	0.128

AIR COMPRESSOR (0.8HP/9L - 600W)



Exhaust Volume: 0.07M Power: 600W
 Weight: 14KG Speed: 2860R/MIN
 Tank Capacity: 9L Max. Pressure: 0.8MPA(100 PSI)

ITEM No	SIZE	QTY	G.W	CBM
170603	0.8HP/9L	1	15	0.048

AIR COMPRESSOR (0.8HP/24L - 600W)



Exhaust Volume: 0.07M Power: 600W
 Weight: 16KG Speed: 1480R/MIN
 Tank Capacity: 24L Max. Pressure: 0.8MPA(100 PSI)

ITEM No	SIZE	QTY	G.W	CBM
170604	0.8HP/24L	1	19.5	0.08

AIR COMPRESSOR (800W*2)



Exhaust Volume: 0.12M Power: 800W*2
 Weight: 30KG Speed: 1450R/MIN
 Tank Capacity: 50L Max. Pressure: 0.8MPA(100 PSI)

ITEM No	SIZE	QTY	G.W	CBM
170605	2.0HP/50L	1	36.5	0.135

HIGH PRESSURE WASHER (950W)



Rated Pressure: 70BAR Rated Flow: 6.0L/MIN
 Max.pressure: 140BAR Max.Flow: 6.5/MIN
 Rated Power: 950W Voltage: AC22060/50-240/HZ

ITEM No	SIZE	QTY	G.W	CBM
171305	1800W/17BAR	1	7.8	0.031

PRESSURE CONTROLLER (2.5BAR)



Protection Rating: IP*65
 Max. Current: 10A
 Max. Power: 1.1KW
 Rated Sourse: 220240-V/5060-HZ
 Max.Working Pressure: 140BAR
 Pipe Diameter: 1"x1"
 Max.Working Temperature: 55C
 Starting Pressure Setting: 0-2.5BAR

ITEM No	SIZE	QTY	G.W	CBM
170817	1"x1"	12	15	0.064

PRESSURE CONTROLLER (1.5BAR)



Protection Rating: IP*65
 Max. Current: 10A
 Max. Power: 1.1KW
 Rated Sourse: 220240-V/5060-HZ
 Max.Working Pressure: 10BAR
 Pipe Diameter: 1"x1"
 Max.Working Temperature: 55C
 Starting Pressure Setting: 1.5BAR

ITEM No	SIZE	QTY	G.W	CBM
170816	1"x1"	12	17	0.1


CLEAN WATER PUMP (QB60 - 370W)



Suct.max: 8M H Max: 32M
 Protection: IP*4 No-load Speed: 2850R/MIN
 Rated Input Power: 370W/0.5HP Material: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170801	QB601/1"X1"	4	22.5	0.033

CLEAN WATER PUMP (CPM158 - 750W)



Rated Sourse: 220V/50HZ Suct.max: 8M
 Protection: IP*4 No-load Speed: 2850R/MIN
 Rated Input Power: 750W/1.0 HP Material: COPPER
 H Max: 27M

ITEM No	SIZE	QTY	G.W	CBM
170802	CPM158/1"X1"	1	12.9	0.02

CLEAN WATER PUMP (750W)



Rated Sourse: 220V/50HZ Suct.max: 9M
 Protection: IP*4 No-load Speed: 2850R/MIN
 Rated Input Power: 750W/1.0HP Material: COPPER
 H Max: 40M

ITEM No	SIZE	QTY	G.W	CBM
170803	JET-100L/1"X1"	1	14	0.021

CLEAN WATER PUMP (550W)



Rated Sourse: 220V/50HZ Suct.max: 8M
 Protection: IP*4 No-load Speed: 3450R/MIN
 Rated Input Power: 550W/0.75HP Material: COPPER
 H Max: 32M

ITEM No	SIZE	QTY	G.W	CBM
170804	JSW45/1"X1"	1	14	0.021

CLEAN WATER PUMP (JSW55 - 750W)



Suct. max: 8M
 Protection: IP*4
 Rated Input Power: 750W/1.0HP
 H Max: 45M
 Rated Voltage: 220-240V~
 Rated Frequency: 60Hz
 No-load Speed: 3450R/MIN
 Material: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170805	JSW551"X1"	1	14.3	0.021

CLEAN WATER PUMP (STP50 - 750W)



50HZ

Power Source: 220V/50Hz
 Rotating Speed: 2850R/MIN
 Q Max: 50L/MIN
 H Max: 40M
 Size: 1"X1"
 Protection: IP*4
 Material: COPPER

50HZ

Power Source: 220V/60Hz
 Rotating Speed: 3450R/MIN
 Q Max: 50L/MIN
 H Max: 40M
 Size: 1"X1"
 Protection: IP*4
 Material: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170810	STP50/1"X1"	1	8.6	0.022

SUBMERSIBLE PUMP (370W)



Size: 1"x1"
 Q Max: 90L/M
 H Max: 18M
 Rated Power: 370W/0.5HP
 Rated Voltage: 220-240V~
 Rated Frequency: 50hz
 No-load Speed: 2860RPM
 Package: COLOR BOX

ITEM No	SIZE	QTY	G.W	CBM
170807	QDX1.5/1"X1"	1	7.3	0.017

SUBMERSIBLE PUMP (750W)



Power Source: 220V/50HZ
 Rotating Speed: 2850R/MIN
 Rated Power: 750W/1.0HP
 Q Max: 120L/M
 H Max: 32M
 Material: COPPER
 Protection: COLOR BOX

ITEM No	SIZE	QTY	G.W	CBM
170809	QDX1.5/1"X1"	1	12.85	0.022

DIRTY WATER PUMP (750W)



Power Source: 220V/50Hz
 Rotating Speed: 2850R/MIN
 Rated Power: 750W/1.0HP
 Q Max: 300L/MIN
 H Max: 13M
 Material: COPPER
 Protectiong: IP*8

ITEM No	SIZE	QTY	G.W	CBM
170812	V750Q/ 50MM	1	18.5	0.024

DIRTY WATER PUMP (1500W)



Power Source: 220V/50Hz
 Rotating Speed: 2850R/MIN
 Rated Power: 1500W/2.0HP
 H Max: 14M

ITEM No	SIZE	QTY	G.W	CBM
170814	V1500/ 50MM	1	20.5	0.032

CLEAN WATER PUMP (370W)



Power Source: 220V/50Hz
 Rotating Speed: 2850R/MIN
 Rated Power: 370W/0.5HP
 Q Max: 35L/MIN
 Rated Voltage: 220-240V
 Rated Frequency: 50Hz
 No-load Speed: 2860RPM
 Material: COPPER

ITEM No	SIZE	QTY	G.W	CBM
170806	AUPS126/1"X1"	1	9.4	0.021



GASOLINE GENERATOR (5000W)



Rated Voltage: 120-240V Dc Output: 12V/8.3A
 Rated Frequency: 50 - 60Hz Fuel Tank Capacity: 25L
 Rated Power: 5000W Time: 13HOUR
 Max.Output: 5500w

ITEM No	SIZE	QTY	G.W	CBM
171204	5000W	1	85.5	0.025

GENERATOR & WELDER (5000W)



AC
 Voltage: 240V~
 Frequency: 50Hz
 Rated Output: 5.0KW
 Max.Output: 5.5KW
 Phase: 1 Ø

DC
 Voltage: 12V~
 Current: 50Hz

WELDER	Voltage:	Rated Output:	Applicable Electroce
	12V~ 50Hz	5.0KW 1 Ø	2.2 - 4.0MM

ITEM No	SIZE	QTY	G.W	CBM
171210	5000W/50HZ	1	97	0.025

GASOLINE GENERATOR (2000W)



Rated Voltage: 120-240V Dc Output: 12V/8.3A
 Rated Frequency: 50 - 60Hz Fuel Tank Capacity: 15L
 Rated Power: 2000W Time: 13HOUR
 Max.Output: 2200w

ITEM No	SIZE	QTY	G.W	CBM
171202	2000W	1	37.6	0.126

GASOLINE GENERATOR (2800W)



Rated Voltage: 120-240V Dc Output: 12V/8.3A
 Rated Frequency: 50/60Hz Fuel Tank Capacity: 15L
 Rated Power: 2800W Time: 10HOUR
 Max.Output: 3000w

ITEM No	SIZE	QTY	G.W	CBM
171203	2800W	1	42.2	0.126

GASOLINE WATER PUMP



Suction/discharge Port dia: 2inch[50mm]

ITEM No	SIZE	QTY	G.W	CBM
170831	6.5HP/2"	1	20.5	0.074
170832	6.5HP/3"	1	22	0.081

GASOLINE GENERATOR (800W)



VOLTAGE:220V/50HZ
 RATED POWER:800W
 POWER FACTOR:1.0
 RATED CURRENT:2.8A
 SPEED:3000/MIN
 MAX.TEMPERATURE:40C
 MAX.ALTITUDE:1000M

ITEM No	SIZE	QTY	G.W	CBM
171201	800W	1	16.5	0.04

PLASTIC WELDING MACHINE (1500W)



Melting Point: Cpower: 1500W
 Ppr Pipe(H/c Pipe): 260280-CPB Voltage: 220V
 Pipe (Hot Pipe): 240C Welding Range: 20 - 63MM
 Pe Pipe (Cold Pipe): 200 - 230 Frequency: 5060/HZ

ITEM No	SIZE	QTY	G.W	CBM
041201	20-63MM/1500W	5SETS	20.5	0.032

BATTERY CHARGER (160/120W)




Rated Input Voltage: 230V
 Frequency: 50HZ
 Charging Voltage: 1224/V
 Rated capacity (W): 160120/W
 Boost current (A): 12A
 Rated Current (A):94/A
 Degrees of protection: IP 20
 Reference Capacity (AH): 28-/100AH
 GW: 5.8KGS

ITEM No	SIZE	QTY	G.W	CBM
170506	160/120W	4	24.5	0.052

**ONE-STOP TOOLS STATION
NEW PRODUCT LAUNCH**

WWW.WISEUPTOOLS.COM

3000
MORE TOOL SKILL SERIES



**Work Hard
Think Smart**

WISEUP

Your Tools, Best Station